Index to volume 17

Author index

A

Aguilar A (*see* Cristobal et al). 1987;17:339-41

Ahmed AR, Hombal S. Use of cyclophosphamide in azathioprine failures in pemphigus. 1987;17:437-42

Alcalay J, David M, Sandbank M. Facial involvement in pruritic urticarial papules and plaques of pregnancy. 1987;17:302 (Letter reply)

Altman A, Rosen T, Tschen JA, Hoffmann T, Bruce S, Siegel DM, Levy ML, Schaefer D, Goldberg LH. Basal cell epithelioma in black patients. 1987;17:741-5

Anderson TF (*see* Gupta and Anderson). 1987;17:703-34 (CME article)

Andreano JM (*see* Dijkstra and Andreano). 1987;17:845-7 (Letter)

Aram H. Henoch-Schönlein purpura induced by chlorpromazine. 1987;17:139-40 (Letter)

Archer CB, Greaves MW. Assessment of treatment for painful cutaneous leiomyomas. 1987;17:141-2 (Letter)

Arrington JH III (*see* Park et al). 1987;17:285-92 (Dermatopathology)

Asboe-Hansen G. Scleroderma. 1987;17:102-8 (Clin. rev.)

Ashinoff R (*see* Buchness and Ashinoff). 1987;17:1063-4 (Letter)

Assaad DA (*see* Jambrosic et al). 1987;17:621-31

Assaad DM (*see* Page and Assaad). 1987;17:947-50

Atherton DJ (*see* Glover and Atherton). 1987;17:853-4 (Letter)

Aurelian L (*see* Burnett et al). 1987;17:86-92

Avellanosa I (*see* Cristobal et al). 1987;17:339-41

Ayres S Jr. Epidermolysis bullosa responds to vitamin E when properly administered. 1987;17:848-9 (Letter)

——. How to avoid side effects from oral retinoids. 1987;17:1060-1 (Letter)

Azulay RD. Autoaggressive hanseniasis. 1987;17:1042-6 (Clin. rev.)

B

Baack B (*see* Tschen and Baack). 1987;17:1059-60 (Letter)

Baadsgaard O, Cooper KD, Lisby S, Wulf HC, Wantzin GL. Dose response and time course for induction of T6-DR+ human epidermal antigen-presenting cells by in vivo ultraviolet A, B, and C irradiation. 1987;17:792-800

Bacon GE (*see* Milgraum et al). 1987;17:57-61

Baer RL (*see* Lim et al). 1987;17:293-301 (Periodic synopsis)

Baker GF (*see* Guin et al). 1987;17:399-402

Bakos L, Hampe S, da Rocha JL, Pires AS, Weissbluth M, Zampese M. Generalized granuloma annulare in a patient with acquired immunodeficiency syndrome (AIDS). 1987;17:844-5 (Letter)

Baler GR. Epidermolysis bullosa acquisita associated with lymphoma. 1987;17:856-9 (Letter)

Bang FC (*see* Frentz et al). 1987;17:637-43

Banse-Kupin L, Pelachyk JM. Ichthyosiform sarcoidosis. 1987;17:616-20

Baral J. Deaths associated with topical minoxidil therapy. 1987;17:515 (Letter)

Baran R, Juhlin L. Drug-induced photo-onycholysis. 1987;17:1012-6

Baran RL, Gormley DE. Polydactylous Bowen's disease of the nail. 1987;17:201-4

Barax CN, Lebwohl M, Phelps RG. Multiple hamartoma syndrome. 1987;17:342-6

Bardazzi F (*see* Tosti et al). 1987;17:230-3

Barkey WF. Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream). 1987;17:518-9 (Letter)

Barnhill RL (*see* Stenn et al). 1987;17:161-3 (Commentary)

Bennett RG (*see* Goldman and Bennett). 1987;17:167-82 (CME article)

Benson PM, Solivan G. Group B streptococcal blistering distal dactylitis in an adult diabetic. 1987;17:310-1 (Letter)

Berbis P, Bourameaux Y, Rognin C, Hartmann D, Privat Y. Study on the influence of etretinate on biologic activity of oral contraceptives. 1987;17:302-3 (Letter)

Berg E, Chuang TY, Cripps D. Rothmund-Thomson syndrome: a case report, phototesting, and literature review. 1987;17:332-8

Berg M, Liden S. Skin problems in video display terminal users. 1987;17:682-3 (Editorial).

Berger CL (*see* Knobler et al). 1987;17:903-9

Berger TG, Lapins NA, Engel ML. Agminated neurilemomas. 1987;17:891-4

Berma B, Conteas C, Smith B, Leong S, Hornbeck L III. Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis. 1987;17:359-64

Bernier-Buzzanga J (*see* Gaston et al). 1987;17:82-6

Bernstein JE, Bickers DR, Dahl MV, Roshal JY. Treatment of chronic postherpetic neuralgia with topical capsaicin. 1987;17:93-6

Berti E (*see* Caputo et al). 1987;17:449-54

Bettoli V (*see* Tosti et al). 1987;17:843-4 (Letter)

Bialowance M (*see* Hodak et al). 1987;17:914-7

Bickers DR (*see* Bernstein et al). 1987;17:93-6

—— (*see* Zaim and Bickers). 1987;17:701-2 (Letter)

Bonelli U (*see* Tosti et al). 1987;17:843-4 (Letter)

Boughton RS, Hughmanick S, Marin-Padilla M. Malignant melanoma arising in an ovarian cystic teratoma in pregnany. 1987;17:871-5

Bourameaux Y (*see* Berbis et al). 1987;17:302-3 (Letter)

Bourget T (*see* Lowe et al). 1987;17:224-30

Braun-Falco O (*see* Ruzicka et al). 1987;17:663-74 (Clin. rev.)

Brenner S, Livni E. Pemphigus vulgaris probably induced by penicillin. 1987;17:514-5 (Letter)

Bress NM (*see* Upchurch et al). 1987;17:355-9

Brewer JH (*see* Hall et al). 1987;17:329-32

Briggaman RA (*see* Marks and Briggaman). 1987;17:1062-3 (Letter)

July, pp. 1-166; August, part 1, pp. 167-328; August, part 2, pp. 329-382; September, pp. 383-538; October, pp. 539-702; November, part 1, pp. 703-866; November, part 2, pp. 867-920; December, pp. 921-1112.

Brownstein MH, Starink TM. Desmoplastic trichoepithelioma and intradermal nevus: a combined malformation. 1987;17:489-92 (Dermatopathology)
—— (*see* Starink and Brownstein). 1987;17:493-6 (Dermatopathology)
Bruce S (*see* Altman et al). 1987;17:741-5
Buchness MR, Ashinoff R. Actinic reticuloid. 1987;17:1063-4 (Letter)
Burk PG (*see* Goodman et al). 1987;17:210-20
Burke KE, Eremia S. French Society of Dermatology, Spring meeting, Paris, France, March 12-15, 1986. 1987;17:1065-74
Burke WA (*see* Welch et al). 1987;17:839-40 (Letter)
Burket BA (*see* Burket and Burket). 1987;17:306-7 (Letter)
Burket JM, Burket BA. Factitial dermatitis resulting in paraplegia. 1987;17:306-7 (Letter)
Burnett JW, Hepper KP, Aurelian L, Calton GJ, Gardepe SF. Recurrent eruptions following unusual solitary coelenterate envenomations. 1987;17:86-92
Burnett TS (*see* Leong et al). 1987;17:233-8
Burnham TK (*see* Nordby et al). 1987;17:427-33

C

Caldwell D (*see* Carter et al). 1987;17:246-50
Calton GJ (*see* Burnett et al). 1987;17:86-92
Camacho-Martinez F. Eosinophilic pustular folliculitis. 1987;17:686-8 (Letter)
Camisa C (*see* Parks and Camisa). 1987;17:855-6 (Letter)
Camp RDR (*see* Thomas et al). 1987;17:1055-6 (Letter)
Campbell RL, Seymour JL, Stone LC, Milligan MC. Clinical studies with disposable diapers containing absorbent gelling materials: evaluation of effects on infant skin condition. 1987;17:978-87
Capozzi M (*see* Cusano et al). 1987;17:308-9 (Letter)
Caputo R, Ermacora E, Gelmetti C, Berti E, Gianni E, Nigro A. Generalized eruptive histiocytoma in children. 1987;17:449-54
Carlson KC, Mehlmauer M, Evans S, Chandrasoma P. Cryptococcal cellulitis in renal transplant recipients. 1987;17:469-72
Caro WA (*see* Picascia and Caro). 1987;17:347-51
Carruthers A. Facial involvement in pruritic urticarial papules and plaques of pregnancy. 1987;17:302 (Letter)
Carter DM, Lin AN, Varghese MC, Caldwell D, Pratt LA, Eisinger M. Treatment of junctional epidermolysis bullosa with epidermal autografts. 1987;17:246-50
Cartwright LE, Steinman HK. Malignant papillary mesothelioma of the tunica vaginalis testes: cutaneous metastases showing pagetoid epidermal invasion. 1987;17:887-90
Cassio A (*see* Patrizi et al). 1987;17:694-5 (Letter)
Chalker DK, Lesher JL Jr, Smith JG Jr, Klauda HC, Pochi PE, Jacoby WS, Yonkosky DM, Voorhees JJ, Ellis CN, Matsuda-John S, Shalita AR, Smith EB, Raimer SS, Knox JM II, Kantor II. Efficacy of topical isotretinoin 0.05% gel in acne vulgaris: results of a multicenter, double-blind investigation. 1987;17:251-4
—— (*see* Freeman et al). 1987;17:320-3 (Commentary)
Chandrasoma P (*see* Carlson et al). 1987;17:469-72
Chernosky ME. Electroepilation in hirsutism. 1987;17:142-3 (Letter)
Childers JW, Hernandez AD, Kim JH, Stricklin GP. Immunolocalization of collagenase inhibitor in normal skin and basal cell carcinoma. 1987;17:1025-32
Chiu S-H (*see* Holly et al). 1987;17:459-68
Chotiner G. Unhook me. 1987;17:866 (Response)
Christensen OB (*see* Sjövall et al). 1987;17:774-8
Chuang TY (*see* Berg et al). 1987;17:332-8
Chun SI (*see* Kang et al). 1987;17:883-7
Chyu J, Medenica M, Whitney DH. Verruciform xanthoma of the lower extremity—report of a case and review of literature. 1987;17:695-8 (Letter)
Civatte J (*see* Jeanmougin and Civatte). 1987;17:690-1 (Letter)
Clemmensen OJ (*see* Kroon et al). 1987;17:422-6
Cohen HA, Livshin R. Treatment of leishmaniasis nodosa (oriental sore) with intralesionally injected emetine hydrochloride. 1987;17:595-9
Conner AC (*see* Hanke et al). 1987;17:819-25 (Derm. surg.)
Connor TH (*see* Wilkerson et al). 1987;17:606-11
Conteas C (*see* Berman et al). 1987;17:359-64
Cooper KD (*see* Baadsgaard et al). 1987;17:792-800
Cormane RH (*see* Westerhof et al). 1987;17:32-9
Cornell RC (*see* Olsen and Cornell). 1987;17:144-5 (Letter reply)
Coskey LA (*see* Coskey and Coskey). 1987;17:62-3
Coskey RJ, Coskey LA. Diagnosis and treatment of impetigo. 1987;17:62-3
Cottel WI (*see* Wagner and Cottel). 1987;17:1047-9 (Derm. surg.)
Cox NH. Psoriasis, neutrophil leukocytes, and HLA-B27. 1987;17:312-3 (Letter)
Cripps D (*see* Berg et al). 1987;17:332-8
Cristobal MC, Aguilar A, Urbina F, Guerra P, Sanchez de Paz F, Garcia-Perez A, Avellanosa I. Self-inflicted tongue ulcer: an unusual form of factitious disorder. 1987;17:339-41
Crombez JC (*see* Gaston et al). 1987;17:82-6
Crone M (*see* Fanselow et al). 1987;17:74-7
Cronin E. Safety of propyl gallate in topical products. 1987;17:309-10 (Letter reply)
Crouch TT (*see* Hall et al). 1987;17:329-32
Cusano F, Capozzi M, Errico G. Safety of propyl gallate in topical products. 1987;17:308-9 (Letter)

D

da Rocha JL (*see* Bakos et al). 1987;17:844-5 (Letter)
Dahl MV (*see* Bernstein et al). 1987;17:93-6
—— (*see* Fanselow et al). 1987;17:74-7
Daneshvar SA, Hashimoto K. An unusual presentation of tinea versicolor in an immunosuppressed patient. 1987;17:304-5 (Letter)
David M (*see* Alcalay et al). 1987;17:302 (Letter reply)
—— (*see* Hodak et al). 1987;17:914-7
Dawber RPR (*see* Telfer and Dawber). 1987;17:144 (Letter)
DeLeo V (*see* Held et al). 1987;17:592-4
de Moragas JM (*see* Ravella et al). 1987;17:377-80
De Padova MP (*see* Tosti et al). 1987;17:516-7 (Letter reply)
DePaoli RT, Marks VJ. Crusted (Norwegian) scabies: treatment of nail involvement. 1987;17:136-9 (Letter)
Detmar M (*see* Imcke et al). 1987;17:779-86
de Wit FS (*see* Westerhof et al). 1987;17:32-9
Dijkstra JWE, Andreano JM. Tar: an ultraviolet B screen. 1987;17:845-7 (Letter)
Dobson RL. The future of rationed health care. 1987;17:132-3 (Editorial).
——. We must have a cost-effective change of attitude. 1987;17:325 (Response)
Dodd WA. Anyone can do this. 1987;17:134 (Editorial).
Doherty E (*see* Kossard et al). 1987;17:867-71

Dover JS (*see* Thomas et al). 1987;17:1055-6 (Letter)
Drabick JJ, Lupton GP, Tompkins K. Crusted scabies in human immunodeficiency virus infection. 1987;17:142 (Letter)
Dromgoole SH (*see* Lowe et al). 1987;17:224-30
Dupont C. Dermatologic Damascus. 1987;17:147 (Letter)
Duvic M, Rapini R, Hoots WK, Mansell PW. Human immunodeficiency virus—associated vitiligo: expression of autoimmunity with immunodeficiency? 1987;17:656-62
—— (*see* Johnson et al). 1987;17:192-7

E

Edelson RL (*see* Knobler et al). 1987;17:903-9
Eisinger M (*see* Carter et al). 1987;17:246-50
Eklund G (*see* Ros and Eklund). 1987;17:752-8
El-Benhawi MO (*see* El-Tonsy and El-Benhawi). 1987;17:849 (Letter reply)
Eldred L (*see* Matis et al). 1987;17:746-51
Elias PM (*see* Feingold and Elias). 1987;17:921-40 (CME article)
Eliezri YD, Silvers DN, Horan DB. Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease. 1987;17:497-505 (Derm. surg.)
Ellis CN, Hermann RC, Gorsulowsky DC, Goldfarb MT, Voorhees JJ. Etretinate therapy reduces inpatient treatment of psoriasis. 1987;17:787-91
——, Voorhees JJ. Etretinate and paternity. 1987;17:509 (Letter reply)
—— (*see* Chalker et al). 1987;17:251-4
Elman M (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Elpern DJ (*see* Leong et al). 1987;17:233-8
—— (*see* Stone et al). 1987;17:841-3 (Letter)
El-Tonsy MH, El-Benhawi MO. Epidermolysis bullosa responds to vitamin E when properly administered. 1987;17:849 (Letter reply)
Engel ML (*see* Berger et al). 1987;17:891-4
Engelberg S (*see* Kahana et al). 1987;17:205-9
Engelhard C (*see* Pearlman et al). 1987;17:78-82
Epinette WW, Parker CM, Jones EL, Greist MC. Mycophenolic acid for psoriasis. 1987;17:962-71
Epstein E, Paulson D, Sprague E, Teisch J. Letter of resignation from the Academy by Drs. Edward Sprague, Ernst Epstein, Donald Paulson, and Joel Teisch. 1987;17:699-700 (Letter)
Eremia S (*see* Burke and Eremia). 1987;17:1065-74
Ermacora E (*see* Caputo et al). 1987;17:449-54
Errico G (*see* Cusano et al). 1987;17:308-9 (Letter)
Evans C Jr (*see* Evans and Evans). 1987;17:681
Evans CC Jr, Evans C Jr. Food and Drug Administration notes. 1987;17:681
Evans S (*see* Carlson et al). 1987;17:469-72
Everett MA (*see* Roytman et al). 1987;17:513-4 (Letter)

F

Falanga V, Medsger TA Jr. Frequency, levels, and significance of blood eosinophilia in systemic sclerosis, localized scleroderma, and eosinophilic fasciitis. 1987;17:648-56
Fanselow D, Crone M, Dahl MV. Dosimetry in phototherapy cabinets. 1987;17:74-7
Farmer ER (*see* Leong et al). 1987;17:233-8
Feingold KR, Elias PM. Endocrine-skin interactions. 1987;17:921-40 (CME article)
Feinstein A (*see* Kahana et al). 1987;17:205-9
Feldman P, Lynfield Y. Antibiotic choice for pyodermas. 1987;17:859-60 (Letter)
Feuerman EJ (*see* Segal et al). 1987;17:612-5
Finelli LG, Ratz JL. Plasmapheresis, a treatment modality for necrobiotic xanthogranuloma. 1987;17:351-4
Fisher AA. Ear piercing and sensitivity to nickel and gold. 1987;17:853 (Letter)
——. Safety of propyl gallate in topical products. 1987;17:309 (Letter reply)
—— (*see* Katz and Fisher). 1987;17:1016-24
Fleischmann HE (*see* Koperski et al). 1987;17:307-8 (Letter)
Fletcher V (*see* Koch et al). 1987;17:563-70
Fondak AA (*see* Hanke et al). 1987;17:819-25 (Derm. surg.)
Fouassereau J, Tomb RR. Cross-allergy between 5-iodo-2′-deoxycytidine and idoxuridine. 1987;17:145-7 (Letter)
Fowler JR (*see* Green et al). 1987;17:264-70 (Clin. rev.)
Freeman WE, Chalker DK, Smith JG Jr. Use of gloves among dermatologists. 1987;17:320-3 (Commentary)
Freinkel RK (*see* Picascia et al). 1987;17:408-13
Frentz G, Munch-Petersen B, Wulf HC, Niebuhr E, Bang FC. The nevoid basal cell carcinoma syndrome: sensitivity to ultraviolet and x-ray irradiation. 1987;17:637-43
Friedman NR, Saleeby ER, Rubin MG, Sandu T, Krull EA. Safety parameters for avoiding acute ocular damage from the reflected CO_2 (10.6 μm) laser beam. 1987;17:815-8 (Derm. surg.)
Friedman RJ (*see* Rigel et al). 1987;17:1050-3 (Editorial)
Friedman SJ. Pityriasis rosea with erythema multiforme-like lesions. 1987;17:135-6 (Letter)
From L (*see* Jambrosic et al). 1987;17:621-31
Frumkin A (*see* Roytman et al). 1987;17:513-4 (Letter)
Fusaro RM, Lynch HT. Atypical nevi and melanoma update at American Academy Dermatology Meeting, December 1986. 1987;17:849-50 (Letter)

G

Gange RW (*see* Lim et al). 1987;17:293-301 (Periodic synopsis)
Gantt GG (*see* Rubinow et al). 1987;17:25-32
Garcia-Perez A (*see* Cristobal et al). 1987;17:339-41
—— (*see* Mora-Morillas et al). 1987;17:691-2 (Letter)
Garden JM (*see* Picascia et al). 1987;17:408-13
Gardepe SF (*see* Burnett et al). 1987;17:86-92
Gaston L, Lassonde M, Bernier-Buzzanga J, Hodgins S, Crombez JC. Psoriasis and stress: a prospective study. 1987;17:82-6
Gelmetti C (*see* Caputo et al). 1987;17:449-54
Gernand K, Sönnichsen N, Kölzsch J. A new technic for transport, enrichment, and cultural detection of *Neisseria gonorrhoeae*. 1987;17:197-200
Ghoneum M, Grimes PE, Gill G, Kelly AP. Natural cell-mediated cytotoxicity in vitiligo. 1987;17:600-5
Gianni E (*see* Caputo et al). 1987;17:449-54
Gill G (*see* Ghoneum et al). 1987;17:600-5
Glover MT, Atherton DJ. Etretinate and premature epiphyseal closure in children. 1987;17:853-4 (Letter)
Goldberg LH (*see* Altman et al). 1987;17:741-5
Goldfarb MT (*see* Ellis et al). 1987;17:787-91
Goldman MP, Bennett RG. Treatment of telangiectasia: a review. 1987;17:167-82 (CME article)
Gonzalez J (*see* Welsh et al). 1987;17:443-8
Goodman DS, Teplitz ED, Wishner A, Klein RS, Burk PG, Her-

shenbaum E. Prevalence of cutaneous disease in patients with acquired immunodeficiency syndrome (AIDS) or AIDS-related complex. 1987;17:210-20
—— (*see* Wishner et al). 1987;17:140-1 (Letter)
Gormley DE (*see* Baran and Gormley). 1987;17:201-4
Gorsulowsky DC (*see* Ellis et al). 1987;17:787-91
Graham JH (*see* Seab and Graham). 1987;17:113-8 (Dermatopathology)
Greaves MW (*see* Archer and Greaves). 1987;17:141-2 (Letter)
Green DE, Sanusi ID, Fowler JR. Pilomatrix carcinoma. 1987;17:264-70 (Clin. rev.)
Green SG, Piette WW. Successful treatment of hypertrophic lupus erythematosus with isotretinoin. 1987;17:364-8
Greer D, Jolly HW. Comparative trial of a two-dosage schedule of ketoconazole 2% cream for the treatment of tinea pedis. 1987;17:53-6
Greig DE (*see* McKerrow and Greig). 1987;17:698-9 (Letter reply)
Greist MC (*see* Epinette et al). 1987;17:962-71
Gretzula JC, Hevia O, Weber PJ. Bloom's syndrome. 1987;17:479-88 (Clin. rev.)
Grimes DA. Reversible contraception for women at high risk of fetal anomalies. 1987;17:148-55 (Special article)
Grimes PE (*see* Ghoneum et al). 1987;17:600-5
Grimwood RE, Lekan C. Acrokeratosis paraneoplastica with esophageal squamous cell carcinoma. 1987;17:685-6 (Letter)
Grossman M (*see* Knobler et al). 1987;17:903-9
Guenther L (*see* Wexler and Guenther). 1987;17:860 (Letter)
Guerra L (*see* Tosti et al). 1987;17:843-4 (Letter)
Guerra P (*see* Cristobal et al). 1987;17:339-41
Guin JD, Haynie LS, Jackson D, Baker GF. Wandering fixed drug eruption: a mucocutaneous reaction to acetaminophen. 1987;17:399-402
Gupta AK, Anderson TF. Psoralen photochemotherapy. 1987;17:703-34 (CME article)
——, Rasmussen JE, Headington JT. Extensive congenital erosions and vesicles healing with reticulate scarring. 1987;17:369-76

H

Hall JC, Brewer JH, Crouch TT, Watson KR. Cryptococcal cellulitis with multiple sites of involvement. 1987;17:329-32
Hall JR, Holder W, Knox JM, Knox JM, Verani R. Familial dyskeratotic comedones. 1987;17:808-14 (Clin. rev.)
Hampe S (*see* Bakos et al). 1987;17:844-5 (Letter)
Handfield-Jones S, Kennedy CTC. Acrokeratoelastoidosis treated with etretinate. 1987;17:881-2
Hanifin JM (*see* Seymour et al). 1987;17:988-97
Hanke CW, Conner AC, Probst EL Jr, Fondak AA. Blast tattoos resulting from black powder firearms. 1987;17:819-25 (Derm. surg.)
Hartmann D (*see* Berbis et al). 1987;17:302-3 (Letter)
Hashimoto K (*see* Daneshvar and Hashimoto). 1987;17:304-5 (Letter)
—— (*see* Samadaei et al). 1987;17:506-7
Hastrup N (*see* Kroon et al). 1987;17:422-6
Haynie LS (*see* Guin et al). 1987;17:399-402
Headington JT (*see* Gupta et al). 1987;17:369-76
Held JL, Kalb RE, Ruszkowski AM, DeLeo V. Allergic contact dermatitis from bacitracin. 1987;17:592-4
Heller K (*see* Upchurch et al). 1987;17:355-9
Henkin J (*see* Wilkerson et al). 1987;17:606-11
Hepper KP (*see* Burnett et al). 1987;17:86-92
Herman LE, Kurban AK. Erythroderma as a manifestation of the AIDS-related complex. 1987;17:507-8 (Letter)
Hermann RC (*see* Ellis et al). 1987;17:787-91
Hernandez AD (*see* Childers et al). 1987;17:1025-32
Hershenbaum E (*see* Goodman et al). 1987;17:210-20
Hevia O (*see* Gretzula et al). 1987;17:479-88 (Clin. rev.)
Higuchi K. Fukuoka, Japan. 1987;17:1080-1 (Contemporaries)
Hindson C (*see* Spiro and Hindson). 1987;17:306 (Letter)
Hodak E, David M, Rothem A, Bialowance M, Sandbank M. Nodular secondary syphilis mimicking cutaneous lymphoreticular process. 1987;17:914-7
Hodgins S (*see* Gaston et al). 1987;17:82-6
Hoesly JM, Mertz LE, Winkelmann RK. Localized scleroderma (morphea) and antibody to *Borrelia burgdorferi*. 1987;17:455-8
Hoffmann T (*see* Altman et al). 1987;17:741-5
Hogan DJ. Scarring following inappropriate use of 0.05% tretinoin gel. 1987;17:1056-7 (Letter)
——, Rooney ME. Toxic epidermal necrolysis due to cephalexin. 1987;17:852-3 (Letter)
Holder W (*see* Hall et al). 1987;17:808-14 (Clin. rev.)
Holly EA, Kelly JW, Shpall SN, Chiu S-H. Number of melanocytic nevi as a major risk factor for malignant melanoma. 1987;17:459-68
Holubar K, Wolff K. Kaposi sesquicentennial, Oct. 23, 1987. 1987;17:1082 (Epitaph)
Hombal S (*see* Ahmed and Hombal). 1987;17:437-42
Hood AF (*see* Matis et al). 1987;17:746-51
—— (*see* Morison et al). 1987;17:698 (Letter)
Hoots WK (*see* Duvic et al). 1987;17:656-62
Horan DB (*see* Eliezri et al). 1987;17:497-505 (Derm. surg.)
Hornbeck L III (*see* Berman et al). 1987;17:359-64
Hudson LD. Phototoxic reaction triggered by a new dental instrument. 1987;17:508 (Letter)
Hughes BR. Melasma occurring in twin sisters. 1987;17:841 (Letter)
Hughmanick S (*see* Boughton et al). 1987;17:871-5
Hunder GG (*see* Perniciaro et al). 1987;17:998-1005
Hutchinson E. Therapy versus placebo for alopecia areata. 1987;17:516 (Letter)

I

Igarashi T (*see* Okano et al). 1987;17:303-4 (Letter)
Ilie B (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Imcke E, Mayer-da-Silva A, Detmar M, Tiel H, Stadler R, Orfanos CE. Growth of human hair follicle keratinocytes in vitro. 1987;17:779-86
Irons TG (*see* Welch et al). 1987;17:839-40 (Letter)
Ishibashi Y (*see* Watanabe et al). 1987;17:1006-12
—— (*see* Watanabe et al). 1987;17:895-902
Iwata M (*see* Saida and Iwata). 1987;17:910-3
—— (*see* Watanabe et al). 1987;17:895-902

J

Jackson D (*see* Guin et al). 1987;17:399-402
Jacoby WS (*see* Chalker et al). 1987;17:251-4
Jambrosic J, From L, Assaad DA, Lipa M, Sibbald RG, Walter JB. Lymphomatoid granulomatosis. 1987;17:621-31
Jansen FC (*see* Westerhof et al). 1987;17:32-9

Jeanmougin M, Civatte J. Benign summer light eruption: the most common photodermatosis. 1987;17:690-1 (Letter)
Jegasothy BV (*see* Vonderheid et al). 1987;17:40-52
Johnson TM, Rapini RP. Isotretinoin-induced thrombocytopenia. 1987;17:838-9 (Letter)
——, ——, Duvic M. Inflammation of actinic keratoses from systemic chemotherapy. 1987;17:192-7
Johnston Y (*see* Stenn et al). 1987;17:161-3 (Commentary)
Jolly HW (*see* Greer and Jolly). 1987;17:53-6
Jones EL (*see* Epinette et al). 1987;17:962-71
Jordan WP (*see* Seymour et al). 1987;17:988-97
Juhlin L (*see* Baran and Juhlin). 1987;17:1012-6

K

Kahana M, Feinstein A, Tabachnic E, Schewach-Millet M, Engelberg S. Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome. 1987;17:205-9
Kalb RE (*see* Held et al). 1987;17:592-4
Kang WH, Chun SI, Lee S. Generalized anhidrosis associated with Fabry's disease. 1987;17:883-7
Kanitakis C (*see* Kanitakis et al). 1987;17:414-22
Kanitakis J, Tsoitis G, Kanitakis C. Hereditary epidermolytic palmoplantar keratoderma (Vörner type). 1987;17:414-22
——, Zambruno G, Viac J, Panzini H, Thivolet J. Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study. 1987;17:187-91
Kantor II (*see* Chalker et al). 1987;17:251-4
Kaplan MH (*see* Sadick et al). 1987;17:64-9
Karam PG (*see* Kibbi et al). 1987;17:759-64
Katz BE, Fisher AA. Bacitracin: a unique topical antibiotic sensitizer. 1987;17:1016-24
Katz M, Seidenbaum M, Weinrauch L. Penicillin-induced generalized pustular psoriasis. 1987;17:918-20
Katz R. Etretinate and paternity. 1987;17:509 (Letter)
Katz RA. Unhook me. 1987;17:865-6 (Commentary)
Kaufman H (*see* Segal et al). 1987;17:612-5
Kaufman RL (*see* Sadick et al). 1987;17:64-9
Kazakis AM (*see* Wiser et al). 1987;17:143-4 (Letter)
Keahey TM, Yancey KB, Lawley TJ. Immediate hypersensitivity. 1987;17:826-37 (Periodic synopsis)
Kellum RE. Intralesional injection of sodium stibogluconate by dermal pressure-jet instrument. 1987;17:694 (Letter)
Kelly AP (*see* Ghoneum et al). 1987;17:600-5
Kelly JW (*see* Holly et al). 1987;17:459-68
Kennedy CTC (*see* Handfield-Jones and Kennedy). 1987;17:881-2
Keswick BH (*see* Seymour et al). 1987;17:988-97
Kibbi AG, Karam PG, Kurban AK. Sporotrichoid leishmaniasis in patients from Saudi Arabia: clinical and histologic features. 1987;17:759-64
Kim JH (*see* Childers et al). 1987;17:1025-32
Kitano Y (*see* Okano et al). 1987;17:303-4 (Letter)
Klauda HC (*see* Chalker et al). 1987;17:251-4
Klein RS (*see* Goodman et al). 1987;17:210-20
Knobler RM, Rehle T, Grossman M, Saxinger CW, Berger CL, Oster M, McKiernan GE, Edelson RL. Clinical evolution of cutaneous T cell lymphoma in a patient with antibodies to human T-lymphotropic virus type I. 1987;17:903-9
Knox JM (*see* Hall et al). 1987;17:808-14 (Clin. rev.)
Knox JM II (*see* Chalker et al). 1987;17:251-4
Koch SE, Zackheim HS, Williams ML, Fletcher V, LeBoit PE. Mycosis fungoides beginning in childhood and adolescence. 1987;17:563-70
Kochevar IE (*see* Morison et al). 1987;17:698 (Letter)
Kölzsch J (*see* Gernand et al). 1987;17:197-200
Koperski JA, Fleischmann HE, Wilkinson DI, Orenberg EK. Effect of minoxidil on chemotaxis of neutrophils. 1987;17:307-8 (Letter)
Kopf AW (*see* Rigel et al). 1987;17:1050-3 (Editorial).
Koransky JS. Creatine phosphokinase levels and isotretinoin therapy. 1987;17:851-2 (Letter)
Kossard S, Doherty E, McColl I, Ryman W. Autofluorescence of clofazimine in discoid lupus erythematosus. 1987;17:867-71
Kraemer KH. Dysplastic nevus syndrome and cancer risk—response. 1987;17:850-1 (Letter)
Krakowski A (*see* Wolf and Krakowski). 1987;17:434-6
—— (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Kroon S, Clemmensen OJ, Hastrup N. Incidence of congenital melanocytic nevi in newborn babies in Denmark. 1987;17:422-6
Krull EA (*see* Friedman et al). 1987;17:815-8 (Derm. surg.)
Kurban AK (*see* Herman and Kurban). 1987;17:507-8 (Letter)
—— (*see* Kibbi et al). 1987;17:759-64

L

LaCivita CL (*see* Wiser et al). 1987;17:143-4 (Letter)
Landthaler M (*see* Ruzicka et al). 1987;17:663-74 (Clin. rev.)
Lapins NA (*see* Berger et al). 1987;17:891-4
Lassonde M (*see* Gaston et al). 1987;17:82-6
Lawley TJ (*see* Keahey et al). 1987;17:826-37 (Periodic synopsis)
LeBoit PE (*see* Koch et al). 1987;17:563-70
Lebwohl M (*see* Barax et al). 1987;17:342-6
Lee S (*see* Kang et al). 1987;17:883-7
Leiferman KM (*see* Smith et al). 1987;17:509-10 (Letter)
Leigh IM (*see* Phillips et al). 1987;17:381-2
Lekan C (*see* Grimwood and Lekan). 1987;17:685-6 (Letter)
Leonard DD (*see* Park et al). 1987;17:285-92 (Dermatopathology)
Leong GKP, Stone JL, Farmer ER, Scotto J, Reizner GT, Burnett TS, Elpern DJ. Nonmelanoma skin cancer in Japanese residents of Kauai, Hawaii. 1987;17:233-8
Leong S (*see* Berman et al). 1987;17:359-64
Lesher JL Jr, Smith JG. Antifungal agents in dermatology. 1987;17:383-94 (CME article)
——, ——. Continuing medical education. 1987;17:383-94 (Therapy)
—— (*see* Chalker et al). 1987;17:251-4
Levy ML (*see* Altman et al). 1987;17:741-5
Liden S (*see* Berg and Liden). 1987;17:682-3 (Editorial).
Lim HW, Baer RL, Gange RW. Photodermatoses. 1987;17:293-301 (Periodic synopsis)
Lin AN (*see* Carter et al). 1987;17:246-50
Lipa M (*see* Jambrosic et al). 1987;17:621-31
Lisby S (*see* Baadsgaard et al). 1987;17:792-800
Littler CM, Tschen EH. Pentoxifylline for necrobiosis lipoidica diabeticorum. 1987;17:314-6 (Letter)
Livni E (*see* Brenner and Livni). 1987;17:514-5 (Letter)
Livshin R (*see* Cohen and Livshin). 1987;17:595-9
Lober CW. Chemexfoliation—indications and cautions. 1987;17:109-12 (Derm. surg.)
Lowe NJ, Dromgoole SH, Sefton J, Bourget T, Weingarten D. Indoor

and outdoor efficacy testing of a broad-spectrum sunscreen against ultraviolet A radiation in psoralen-sensitized subjects. 1987;17:224-30
——, Weingarten D. Actinic reticuloid. 1987;17:1064 (Letter reply)
Lund HZ (*see* Park et al). 1987;17:285-92 (Dermatopathology)
Lupton GP. Discoid lupus erythematosus occurring in a smallpox vaccination scar. 1987;17:688-9 (Letter)
—— (*see* Drabick et al). 1987;17:142 (Letter)
Lynch HT (*see* Fusaro and Lynch). 1987;17:849-50 (Letter)
Lynfield Y (*see* Feldman and Lynfield). 1987;17:859-60 (Letter)

M

Maayan R (*see* Segal et al). 1987;17:612-5
Maeda H (*see* Watanabe et al). 1987;17:895-902
Mahrle G (*see* Schulze et al). 1987;17:19-24
Mannix ML (*see* Perna et al). 1987;17:473-8
Mansell PW (*see* Duvic et al). 1987;17:656-62
Marin-Padilla M (*see* Boughton et al). 1987;17:871-5
Marks JG Jr (*see* Westheim et al). 1987;17:875-80
Marks VJ, Briggaman RA. Pyoderma faciale: successful treatment with isotretinoin. 1987;17:1062-3 (Letter)
—— (*see* DePaoli and Marks). 1987;17:136-9 (Letter)
Markwell RE. Management of cutaneous atrophy after corticosteroid injection. 1987;17:521 (Query)
Masina M (*see* Patrizi et al). 1987;17:694-5 (Letter)
Matis WL, Triana A, Shapiro R, Eldred L, Polk BF, Hood AF. Dermatologic findings associated with human immunodeficiency virus infection. 1987;17:746-51
Matney TS (*see* Wilkerson et al). 1987;17:606-11
Matsuda-John S (*see* Chalker et al). 1987;17:251-4
Mayer-da-Silva A (*see* Imcke et al). 1987;17:779-86
McColl I (*see* Kossard et al). 1987;17:867-71
McKerrow KJ, Greig DE. Piroxicam-induced photosensitivity. 1987;17:698-9 (Letter reply)
McKiernan GE (*see* Knobler et al). 1987;17:903-9
McTiernan RG (*see* Sherertz and McTiernan). 1987;17:692-4 (Letter)
Medenica M (*see* Chyu et al). 1987;17:695-8 (Letter)
Medsger TA Jr (*see* Falanga and Medsger). 1987;17:648-56
Mehlmauer M (*see* Carlson et al). 1987;17:469-72
Mehregan AM. Subungual basal cell carcinoma versus acral lentiginous melanoma. 1987;17:511-2 (Letter)
Merson AG (*see* Rubins and Merson). 1987;17:972-7
Mertz LE (*see* Hoesly et al). 1987;17:455-8
Messer G (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Meyer LJ, Zone JJ. Familial incidence of dermatitis herpetiformis. 1987;17:643-7
Micaily B (*see* Vonderheid et al). 1987;17:40-52
Milgraum SS, Mitchell AJ, Bacon GE, Rasmussen JE. Alopecia areata, endocrine function, and autoantibodies in patients 16 years of age or younger. 1987;17:57-61
Milligan MC (*see* Campbell et al). 1987;17:978-87
—— (*see* Seymour et al). 1987;17:988-97
Mitchell AJ (*see* Milgraum et al). 1987;17:57-61
Mobacken H, Nordin P. Molluscum contagiosum among cross-country runners. 1987;17:519-20 (Letter)
Modlin RL, Rea TH. Leprosy: new insight into an ancient disease. 1987;17:1-13 (CME article)
Möller H (*see* Sjövall et al). 1987;17:774-8
Monti L (*see* Tosti et al). 1987;17:230-3
Mora-Morillas I, Vazquez-Lopez F, Sanchez-Lozano JL, Garcia-Perez A. Cardiac complications of psoralens plus ultraviolet A (PUVA) therapy. 1987;17:691-2 (Letter)
Morhenn VB, Roth S, Roth R. Use of a monoclonal antibody (VM-2) plus the immunogold-silver technique to stain basal cell carcinoma cells. 1987;17:765-9
Morison WL, Hood AF, Kochevar IE. Piroxicam-induced photosensitivity. 1987;17:698 (Letter)
Muller SA (*see* Stone et al). 1987;17:841-3 (Letter)
Munch-Petersen B (*see* Frentz et al). 1987;17:637-43

N

Nazzaro-Porro M. Azelaic acid. 1987;17:1033-41 (Therapy)
Niebuhr E (*see* Frentz et al). 1987;17:637-43
Nigro A (*see* Caputo et al). 1987;17:449-54
Noguera X (*see* Ravella et al). 1987;17:377-80
Nordby CA, Pelachyk JM, Burnham TK. Large speckle-like thready and thready antinuclear antibody patterns as markers for different clinical presentations in lupus erythematosus. 1987;17:427-33
Nordin P (*see* Mobacken and Nordin). 1987;17:519-20 (Letter)
Notkins AL (*see* Perna et al). 1987;17:473-8

O

Ocampo J (*see* Welsh et al). 1987;17:443-8
Odom RB. Letter of resignation. 1987;17:700-1 (Letter reply)
Okano M, Kitano Y, Igarashi T. Toxic epidermal necrolysis due to rifampicin. 1987;17:303-4 (Letter)
Olsen EA, Cornell RC. Generalized pustular psoriasis associated with withdrawal of topical clobetasol-17-propionate. 1987;17:144-5 (Letter reply)
——, Weiner MS. Topical minoxidil in male pattern baldness: effects of discontinuation of treatment. 1987;17:97-101
Ono S (*see* Watanabe et al). 1987;17:1006-12
Orecchia G. Alopecia areata and measles. 1987;17:840-1 (Letter)
Orenberg EK (*see* Koperski et al). 1987;17:307-8 (Letter)
Orfanos CE (*see* Imcke et al). 1987;17:779-86
Oster M (*see* Knobler et al). 1987;17:903-9

P

Page EH, Assaad DM. Atrophic dermatofibroma and dermatofibrosarcoma protuberans. 1987;17:947-50
Panzini H (*see* Kanitakis et al). 1987;17:187-91
Paolucci P (*see* Patrizi et al). 1987;17:694-5 (Letter)
Pariser DM (*see* Pariser and Pariser). 1987;17:239-45
Pariser RJ, Pariser DM. Primary care physicians' errors in handling cutaneous disorders: a prospective survey. 1987;17:239-45
Park HK, Leonard DD, Arrington JH III, Lund HZ. Recurrent melanocytic nevi: clinical and histologic review of 175 cases. 1987;17:285-92 (Dermatopathology)
Parker CM (*see* Epinette et al). 1987;17:962-71
Parks A, Camisa C. Sporotrichoid leishmaniasis: report of a case in an American graduate student. 1987;17:855-6 (Letter)
Patrizi A, Masina M, Tassoni P, Cassio A, Paolucci P. Erythroderma in infancy: a sign of immunodeficiency? 1987;17:694-5 (Letter)
Paulson D (*see* Epstein et al). 1987;17:699-700 (Letter)
Pearlman DL, Youngberg B, Engelhard C. Weekly psoriasis therapy using intralesional fluorouracil. 1987;17:78-82
Peck GL (*see* Rubinow et al). 1987;17:25-32
Pehamberger H, Steiner A, Wolff K. In vivo epiluminescence mi-

croscopy of pigmented skin lesions. I. Pattern analysis of pigmented skin lesions. 1987;17:571-83
—— (*see* Steiner et al). 1987;17:584-91
Pelachyk JM (*see* Banse-Kupin and Pelachyk). 1987;17:616-20
—— (*see* Nordby et al). 1987;17:427-33
Penneys NS. Microinvasive lentigo maligna melanoma. 1987;17:675-80 (Dermatopathology)
Pereyo N. Tartrazine, the complement system, and photosensitivity. 1987;17:143 (Letter)
Perluk C (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Perna JJ, Mannix ML, Rooney JF, Notkins AL, Straus SE. Reactivation of latent herpes simplex virus infection by ultraviolet light: a human model. 1987;17:473-8
Perniciaro CV, Winkelmann RK, Hunder GG. Cutaneous manifestations of Takayasu's arteritis. 1987;17:998-1005
Phelps RG (*see* Barax et al). 1987;17:342-6
Phillips TJ, Leigh IM, Wright J. Dermatomyositis and pulmonary fibrosis associated with anti-Jo-1 antibody. 1987;17:381-2
Picascia DD, Caro WA. Cutaneous squamous cell carcinoma and hypercalcemia. 1987;17:347-51
——, Garden JM, Freinkel RK, Roenigk HH Jr. Treatment of resistant severe psoriasis with systemic cyclosporine. 1987;17:408-13
——, Robinson JK. Actinic cheilitis: a review of the etiology, differential diagnosis, and treatment. 1987;17:255-64 (Clin. rev.)
Piette WW (*see* Green and Piette). 1987;17:364-8
Pinnell SR. Management of cutaneous atrophy after corticosteroid injection. 1987;17:521 (Query reply)
Pires AS (*see* Bakos et al). 1987;17:844-5 (Letter)
Pochi PE (*see* Chalker et al). 1987;17:251-4
Polk BF (*see* Matis et al). 1987;17:746-51
Potter B, Ronan SG. Computerized dermatopathologic diagnosis. 1987;17:119-31 (Dermatopathology)
Pratt LA (*see* Carter et al). 1987;17:246-50
Prevoo R, Starink TM. Multiple cutaneous neurilemmomas with abnormalities of the eyes and congenital rib deformities. 1987;17:1054-5 (Letter)
Privat Y (*see* Berbis et al). 1987;17:302-3 (Letter)
Probst EL Jr (*see* Hanke et al). 1987;17:819-25 (Derm. surg.)
Pujol RM (*see* Ravella et al). 1987;17:377-80

R

Rabhan NB. Electrosurgery electrode safety. 1987;17:312 (Letter)
Raimer SS (*see* Chalker et al). 1987;17:251-4
Rapini RP (*see* Johnson and Rapini). 1987;17:838-9 (Letter)
—— (*see* Duvic et al). 1987;17:656-62
—— (*see* Johnson et al). 1987;17:192-7
Rasmussen JE (*see* Gupta et al). 1987;17:369-76
—— (*see* Milgraum et al). 1987;17:57-61
Ratz JL (*see* Finelli and Ratz). 1987;17:351-4
Ravella A, Pujol RM, Noguera X, de Moragas JM. Localized pili canaliculi and trianguli. 1987;17:377-80
Rea TH (*see* Modlin and Rea). 1987;17:1-13 (CME article)
Rehle T (*see* Knobler et al). 1987;17:903-9
Reizner GT (*see* Leong et al). 1987;17:233-8
—— (*see* Stone et al). 1987;17:841-3 (Letter)
Richards RN. Electroepilation in hirsutism. 1987;17:143 (Letter reply)
Rigel DS, Kopf AW, Friedman RJ. The rate of malignant melanoma in the United States: are we making an impact? 1987;17:1050-3 (Editorial).
Robinson JK. Use of a combination of chemotherapy and radiation therapy in the management of advanced basal cell carcinoma of the head and neck. 1987;17:770-4
—— (*see* Picascia and Robinson). 1987;17:255-64 (Clin. rev.)
Roenigk HH Jr (*see* Picascia et al). 1987;17:408-13
Rognin C (*see* Berbis et al). 1987;17:302-3 (Letter)
Ronan SG (*see* Potter and Ronan). 1987;17:119-31 (Dermatopathology)
Rooney JF (*see* Perna et al). 1987;17:473-8
Rooney ME (*see* Hogan and Rooney). 1987;17:852-3 (Letter)
Ros AM, Eklund G. Photosensitive psoriasis. 1987;17:752-8
Rosen S, Smoller BR. Port-wine stains: a new hypothesis. 1987;17:164-6 (Commentary)
Rosen T, Stone MS. Acne rosacea in blacks. 1987;17:70-3
—— (*see* Altman et al). 1987;17:741-5
Roshal JY (*see* Bernstein et al). 1987;17:93-6
Roth R (*see* Morhenn et al). 1987;17:765-9
Roth S (*see* Morhenn et al). 1987;17:765-9
Rothem A (*see* Hodak et al). 1987;17:914-7
Roytman M, Frumkin A, Everett MA. Giant clear cell acanthoma. 1987;17:513-4 (Letter)
Rubin MG (*see* Friedman et al). 1987;17:815-8 (Derm. surg.)
Rubinow DR, Peck GL, Squillace KM, Gantt GG. Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin. 1987;17:25-32
Rubins AY, Merson AG. Subpopulations of T lymphocytes in psoriasis patients and their changes during immunotherapy. 1987;17:972-7
Rudolph RI. Subungual basal cell carcinoma versus acral lentiginous melanoma. 1987;17:512-3 (Letter reply)
Ruszkowski AM (*see* Held et al). 1987;17:592-4
Ruzicka T, Vieluf D, Landthaler M, Braun-Falco O. Benign symmetric lipomatosis Launois-Bensaude. 1987;17:663-74 (Clin. rev.)
Ryman W (*see* Kossard et al). 1987;17:867-71

S

Sadick NS, Swenson PD, Kaufman RL, Kaplan MH. Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation. 1987;17:54-9
Saida T, Iwata M. "Ectopic" extramammary Paget's disease affecting the lower anterior aspect of the chest. 1987;17:910-3
Saleeby ER (*see* Friedman et al). 1987;17:815-8 (Derm. surg.)
Samadaei A, Hashimoto K, Tanay A. Insulin lipodystrophy, lipohypertrophic type. 1987;17:506-7
Sanchez de Paz F (*see* Cristobal et al). 1987;17:339-41
Sanchez-Lozano JL (*see* Mora-Morillas et al). 1987;17:691-2 (Letter)
Sandbank M (*see* Alcalay et al). 1987;17:302 (Letter reply)
—— (*see* Hodak et al). 1987;17:914-7
Sandu T (*see* Friedman et al). 1987;17:815-8 (Derm. surg.)
Sanusi ID (*see* Green et al). 1987;17:264-70 (Clin. rev.)
Sauceda E (*see* Welsh et al). 1987;17:443-8
Saxinger CW (*see* Knobler et al). 1987;17:903-9
Schaefer D (*see* Altman et al). 1987;17:741-5
Schauder S (*see* Schulze et al). 1987;17:19-24
Schewach-Millet M (*see* Kahana et al). 1987;17:205-9

Scholtz JR. Dry skin factor in atopic dermatitis. 1987;17:1057 (Letter)
Schulze H, Schauder S, Mahrle G, Steigleder GK. Combined taranthralin versus anthralin treatment lowers irritancy with unchanged antipsoriatic efficacy. 1987;17:19-24
Schwab E (*see* Vonderheid et al). 1987;17:40-52
Scotto J (*see* Leong et al). 1987;17:233-8
Seab JA, Graham JH. Primary cutaneous adenoid cystic carcinoma. 1987;17:113-8 (Dermatopathology)
Sebben JE. Electrosurgery electrode safety. 1987;17:312 (Letter reply)
——. Fire extinguishing systems and electrosurgery. 1987;17:854-5 (Letter reply)
Sefton J (*see* Lowe et al). 1987;17:224-30
Segal R, Maayan R, Kaufman H, Feuerman EJ. Estimation of prednisone intake in pemphigus vulgaris patients with the use of simple laboratory methods. 1987;17:612-5
Seidenbaum M (*see* Katz et al). 1987;17:918-20
Seymour JL, Keswick BH, Hanifin JM, Jordan WP, Milligan MC. Clinical effects of diaper types on the skin of normal infants and infants with atopic dermatitis. 1987;17:988-97
—— (*see* Campbell et al). 1987;17:978-87
Shalita AR (*see* Chalker et al). 1987;17:251-4
Shapiro R (*see* Matis et al). 1987;17:746-51
Shelley ED, Shelley WB. Ibuprofen urticaria. 1987;17:1057-8 (Letter)
—— (*see* Shelley and Shelley). 1987;17:403-7
Shelley WB, Shelley ED. Nonpigmenting fixed drug eruption as a distinctive reaction pattern: examples caused by sensitivity to pseudoephedrine hydrochloride and tetrahydrozoline. 1987;17:403-7
—— (*see* Shelley and Shelley). 1987;17:1057-8 (Letter)
Sherertz EF, McTiernan RG. Topical tretinoin enhances percutaneous absorption of 5-fluorouracil in vitro. 1987;17:692-4 (Letter)
Shornick JK. Herpes gestationis. 1987;17:539-56
Shpall SN (*see* Holly et al). 1987;17:459-68
Sibbald RG (*see* Jambrosic et al). 1987;17:621-31
Siegel DM (*see* Altman et al). 1987;17:741-5
Silverman AK. How to avoid side effects from oral retinoids. 1987;17:1061-2 (Letter reply)
Silvers DN (*see* Eliezri et al). 1987;17:497-505 (Derm. surg.)
Sjövall P, Christensen OB, Möller H. Oral hyposensitization in nickel allergy. 1987;17:774-8
Sloan JB, Soltani K. Iontophoresis in dermatology. 1987;17:690 (Letter reply)
Smith B (*see* Berman et al). 1987;17:359-64
Smith EB (*see* Chalker et al). 1987;17:251-4
Smith JG (*see* Lesher and Smith). 1987;17:383-94 (CME article)
—— (*see* Lesher and Smith). 1987;17:383-94 (Therapy)
Smith JG Jr (*see* Chalker et al). 1987;17:251-4
—— (*see* Freeman et al). 1987;17:320-3 (Commentary)
Smith KC. Cromolyn sodium in 2% aqueous solution under an occlusive hydrocolloid dressing may be effective adjunctive treatment in management of pyoderma gangrenosum. 1987;17:509 (Letter)
——, Su WPD, Leiferman KM. Cromolyn sodium in 2% aqueous solution under an occlusive hydrocolloid dressing may be effective adjunctive treatment in management of pyoderma gangrenosum. 1987;17:509-10 (Letter)
Smoller BR (*see* Rosen and Smoller). 1987;17:164-6 (Commentary)
Sobel EL (*see* Vonderheid et al). 1987;17:40-52
Solivan G (*see* Benson and Solivan). 1987;17:310-1 (Letter)
Soltani K (*see* Sloan and Soltani). 1987;17:690 (Letter reply)
Sönnichsen N (*see* Gernand et al). 1987;17:197-200
Spindler JR. Deaths associated with topical minoxidil therapy. 1987;17:516 (Letter reply)
Spiro J, Hindson C. Steroid therapy of postcryotherapy inflammation. 1987;17:306 (Letter)
Sprague E (*see* Epstein et al). 1987;17:699-700 (Letter)
Squillace KM (*see* Rubinow et al). 1987;17:25-32
Srebrnik A, Tur E, Perluk C, Elman M, Messer G, Ilie B, Krakowski A. Dorfman-Chanarin syndrome. 1987;17:801-8 (Clin. rev.)
Stadler R (*see* Imcke et al). 1987;17:779-86
Starink TM, Brownstein MH. Fibrofolliculoma: solitary and multiple types. 1987;17:493-6 (Dermatopathology)
—— (*see* Brownstein and Starink). 1987;17:489-92 (Dermatopathology)
—— (*see* Prevoo and Starink). 1987;17:1054-5 (Letter)
Steigleder GK (*see* Schulze et al). 1987;17:19-24
Steiner A, Pehamberger H, Wolff K. In vivo epiluminescence microscopy of pigmented skin lesions. II. Diagnosis of small pigmented skin lesions and early detection of malignant melanoma. 1987;17:584-91
—— (*see* Pehamberger et al). 1987;17:571-83
Steinman HK (*see* Cartwright and Steinman). 1987;17:887-90
Stenn KS, Barnhill RL, Johnston Y. Transforming growth factors and histopathologic interpretation. 1987;17:161-3 (Commentary)
Stern RS. The etretinate follow-up study: an opportunity to monitor safety and efficacy. 1987;17:145 (Letter)
——. Tar: an ultraviolet B screen. 1987;17:847-8 (Letter reply)
Stone JL, Reizner GT, Muller SA, Elpern DJ. Hair bulb anomaly in a Japanese girl with uncombable hair. 1987;17:841-3 (Letter)
—— (*see* Leong et al). 1987;17:233-8
Stone LC (*see* Campbell et al). 1987;17:978-87
Stone MS (*see* Rosen and Stone). 1987;17:70-3
Straus SE (*see* Perna et al). 1987;17:473-8
Stricklin GP (*see* Childers et al). 1987;17:1025-32
Su WPD (*see* Smith et al). 1987;17:509-10 (Letter)
Swenson PD (*see* Sadick et al). 1987;17:64-9

T

Tabachnic E (*see* Kahana et al). 1987;17:205-9
Tan E (*see* Vonderheid et al). 1987;17:40-52
Tanay A (*see* Samadaei et al). 1987;17:506-7
Tassoni P (*see* Patrizi et al). 1987;17:694-5 (Letter)
Teisch J (*see* Epstein et al). 1987;17:699-700 (Letter)
Telfer NR, Dawber RPR. Generalized pustular psoriasis associated with withdrawal of topical clobetasol-17-propionate. 1987;17:144 (Letter)
Tenser RB (*see* Westheim et al). 1987;17:875-80
Teplitz ED (*see* Goodman et al). 1987;17:210-20
—— (*see* Wishner et al). 1987;17:140-1 (Letter)
Ternowitz T, Zachariae H. Psoriasis, neutrophil leukocytes, and HLA-B27. 1987;17:313 (Letter reply)
Thivolet J (*see* Kanitakis et al). 1987;17:187-91
Thomas DR, Dover JS, Camp RDR. Pancytopenia induced by the interaction between methotrexate and trimethoprim-sulfamethoxazole. 1987;17:1055-6 (Letter)
Thompson JA. Assessment of treatment for painful cutaneous leiomyomas. 1987;17:142 (Letter reply)

Thomsen K, Wantzin GL. Lymphomatoid papulosis. 1987;17:632-6
Tiel H (*see* Imcke et al). 1987;17:779-86
Tomb RR (*see* Foussereau and Tomb). 1987;17:145-7 (Letter)
Tompkins K (*see* Drabick et al). 1987;17:142 (Letter)
Torre D. Fire extinguishing systems and electrosurgery. 1987;17:854 (Letter)
——. Steroid therapy of postcryotherapy inflammation. 1987;17:306 (Letter reply)
Tosti A, Bardazzi F, Tosti G, Monti L. Audiologic abnormalities in cases of vitiligo. 1987;17:230-3
——, De Padova MP, Veronesi S. Therapy versus placebo for alopecia areata. 1987;17:516-7 (Letter reply)
——, Guerra L, Bettoli V, Bonelli U. Solid facial edema as a complication of acne vulgaris in twins. 1987;17:843-4 (Letter)
Tosti G (*see* Tosti et al). 1987;17:230-3
Triana A (*see* Matis et al). 1987;17:746-51
Tschen EH, Baack B. Treatment of herpetic whitlow in pregnancy with acyclovir. 1987;17:1059-60 (Letter)
—— (*see* Littler and Tschen). 1987;17:314-6 (Letter)
Tschen JA (*see* Altman et al). 1987;17:741-5
Tsoitis G (*see* Kanitakis et al). 1987;17:414-22
Tur E (*see* Srebrnik et al). 1987;17:801-8 (Clin. rev.)

U

Upchurch KS, Heller K, Bress NM. Low-dose methotrexate therapy for cutaneous vasculitis of rheumatoid arthritis. 1987;17:355-9
Urbach F. Phototoxic reaction triggered by a new dental instrument. 1987;17:508-9 (Letter reply)
Urbina F (*see* Cristobal et al). 1987;17:339-41

V

Valle SL. Dermatologic findings related to human immunodeficiency virus infection in high-risk individuals. 1987;17:951-61
Varghese MC (*see* Carter et al). 1987;17:246-50
Vazquez-Lopez F (*see* Mora-Morillas et al). 1987;17:691-2 (Letter)
Verani R (*see* Hall et al). 1987;17:808-14 (Clin. rev.)
Veronesi S (*see* Tosti et al). 1987;17:516-7 (Letter reply)
Viac J (*see* Kanitakis et al). 1987;17:187-91
Vieluf D (*see* Ruzicka et al). 1987;17:663-74 (Clin. rev.)
Vonderheid EC, Tan E, Sobel EL, Schwab E, Micaily B, Jegasothy BV. Clinical implications of immunologic phenotyping in cutaneous T cell lymphoma. 1987;17:40-52
Voorhees JJ (*see* Chalker et al). 1987;17:251-4
—— (*see* Ellis and Voorhees). 1987;17:509 (Letter reply)
—— (*see* Ellis et al). 1987;17:787-91

W

Wagner RF Jr, Cottel WI. Multifocal recurrent basal cell carcinoma following primary tumor treatment by electrodesiccation and curettage. 1987;17:1047-9 (Derm. surg.)
Walter JB (*see* Jambrosic et al). 1987;17:621-31
Wantzin GL (*see* Thomsen and Wantzin). 1987;17:632-6
—— (*see* Baadsgaard et al). 1987;17:792-800
Watanabe S, Iwata M, Maeda H, Ishibashi Y. Immunohistochemical studies of major histocompatibility antigens in a case of the bare lymphocyte syndrome without immunodeficiency. 1987;17:895-902
——, Yamada K, Ono S, Ishibashi Y. Skin changes in patients with amyotrophic lateral sclerosis: light and electron microscopic observations. 1987;17:1006-12
Watson KR (*see* Hall et al). 1987;17:329-32
Weary PE. Ethics and economics and the future of dermatology continued. 1987;17:699 (Letter)
——. We must have a cost-effective change of attitude. 1987;17:326-7 (Response)
Weber PJ (*see* Gretzula et al). 1987;17:479-88 (Clin. rev.)
Weiner MS (*see* Olsen and Weiner). 1987;17:97-101
Weingarten D (*see* Lowe and Weingarten). 1987;17:1064 (Letter reply)
—— (*see* Lowe et al). 1987;17:224-30
Weinrauch L (*see* Katz et al). 1987;17:918-20
Weissbluth M (*see* Bakos et al). 1987;17:844-5 (Letter)
Welch KJ, Burke WA, Irons TG. Recurrent erythema multiforme due to *Mycoplasma pneumoniae*. 1987;17:839-40 (Letter)
Welsh O, Sauceda E, Gonzalez J, Ocampo J. Amikacin alone and in combination with trimethoprim-sulfamethoxazole in the treatment of actinomycotic mycetoma. 1987;17:443-8
Westerhof W, Jansen FC, de Wit FS, Cormane RH. Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting. 1987;17:32-9
Westheim AI, Tenser RB, Marks JG Jr. Acyclovir resistance in a patient with chronic mucocutaneous herpes simplex infection. 1987;17:875-80
Wexler D, Guenther L. Efamol in the treatment of atopic dermatitis. 1987;17:860 (Letter)
Whitney DH (*see* Chyu et al). 1987;17:695-8 (Letter)
Wilinson DI (*see* Koperski et al). 1987;17:307-8 (Letter)
Wilkerson MG, Connor TH, Henkin J, Wilkin JK, Matney TS. Assessment of diphenylcyclopropenone for photochemically induced mutagenicity in the Ames assay. 1987;17:606-11
Wilkin JK (*see* Wilkerson et al). 1987;17:606-11
Williams ML (*see* Koch et al). 1987;17:563-70
Wilson RG. Ethics and economics and the future of dermatology. 1987;17:532-8 (Commentary)
——. We must have a cost-effective change of attitude. 1987;17:324-5 (Commentary)
Winkelmann RK (*see* Hoesly et al). 1987;17:455-8
—— (*see* Perniciaro et al). 1987;17:998-1005
Wiser TH, Kazakis AM, LaCivita CL. Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation. 1987;17:143-4 (Letter)
Wishart JM. The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection. 1987;17:220-3
Wishner AJ, Teplitz ED, Goodman DS. *Pityrosporum*, ketoconazole, and seborrheic dermatitis. 1987;17:140-1 (Letter)
—— (*see* Goodman et al). 1987;17:210-20
Wolf R, Krakowski A. Atypical crusted scabies. 1987;17:434-6
Wolff K (*see* Holubar and Wolff). 1987,17:1082 (Epitaph)
—— (*see* Pehamberger et al). 1987;17:571-83
—— (*see* Steiner et al). 1987;17:584-91
Wright J (*see* Phillips et al). 1987;17:381-2

Wulf HC (*see* Baadsgaard et al). 1987;17:792-800
—— (*see* Frentz et al). 1987;17:637-43

Y

Yamada K (*see* Watanabe et al). 1987;17:1006-12
Yancey KB (*see* Keahey et al). 1987;17:826-37 (Periodic synopsis)
Yonkosky DM (*see* Chalker et al). 1987;17:251-4
Youngberg B (*see* Pearlman et al). 1987;17:78-82

Z

Zachariae H. Cyclosporine A in epidermolysis bullosa acquista. 1987;17:1058-9 (Letter)
—— (*see* Ternowitz and Zachariae). 1987;17:313 (Letter reply)
Zackheim HS (*see* Koch et al). 1987;17:563-70
Zaim MT, Bickers DR. Herpes simplex associated with Hailey-Hailey disease. 1987;17:701-2 (Letter)
Zambruno G (*see* Kanitakis et al). 1987;17:187-91
Zampese M (*see* Bakos et al). 1987;17:844-5 (Letter)
Zitelli JA. Burow's grafts. 1987;17:271-9 (Derm. surg.)
Zlotogorski A. Iontophoresis in dermatology. 1987;17:690 (Letter)
Zone JJ (*see* Meyer and Zone). 1987;17:643-7

Subject index

A

Acanthoma
Giant clear cell acanthoma (Roytman et al). 1987;17:513-4 (Letter)

Acetaminophen
Wandering fixed drug eruption: a mucocutaneous reaction to acetaminophen (Guin et al). 1987;17:399-402

Acne
Acne rosacea in blacks (Rosen and Stone). 1987;17:70-3
Efficacy of topical isotretinoin 0.05% gel in acne vulgaris: results of a multicenter, double-blind investigation (Chalker et al). 1987;17:251-4
Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin (Rubinow et al). 1987;17:25-32
Solid facial edema as a complication of acne vulgaris in twins (Tosti et al). 1987;17:843-4 (Letter)

Acquired immunodeficiency syndrome
Clinical evolution of cutaneous T cell lymphoma in a patient with antibodies to human T-lymphotropic virus type I (Knobler et al). 1987;17:903-9
Crusted scabies in human immunodeficiency virus infection (Drabick et al). 1987;17:142 (Letter)
Dermatologic findings associated with human immunodeficiency virus infection (Matis et al). 1987;17:746-51
Dermatologic findings related to human immunodeficiency virus infection in high-risk individuals (Valle). 1987;17:951-61
Generalized granuloma annulare in a patient with acquired immunodeficiency syndrome (AIDS) (Bakos et al). 1987;17:844-5 (Letter)
Human immunodeficiency virus-associated vitiligo: expression of autoimmunity with immunodeficiency? (Duvic et al). 1987;17:656-62
Prevalence of cutaneous disease in patients with acquired immunodeficiency syndrome (AIDS) or AIDS-related complex (Goodman et al). 1987;17:210-20

Acrokeratoelastoidosis
Acrokeratoelastoidosis treated with etretinate (Handfield-Jones and Kennedy). 1987;17:881-2

Acrokeratosis paraneoplastica
Acrokeratosis paraneoplastica with esophageal squamous cell carcinoma (Grimwood and Lekan). 1987;17:685-6 (Letter)

Actinic disease
Actinic cheilitis: a review of the etiology, differential diagnosis, and treatment (Picascia and Robinson). 1987;17:255-64 (Clin. rev.) .
Actinic reticuloid (Buchness and Ashinoff) (Letter); (Lowe and Weingarten) (Letter reply). 1987;17:1063-4
Inflammation of actinic keratoses from systemic chemotherapy (Johnson et al). 1987;17:192-7

July, pp. 1-166; August, part 1, pp. 167-328; August, part 2, pp. 329-382; September, pp. 383-538; October, pp. 539-702; November, part 1, pp. 703-866; November, part 2, pp. 867-920; December, pp. 921-1112.

Actinomycotic mycetoma
Amikacin alone and in combination with trimethoprim-sulfamethoxazole in the treatment of actinomycotic mycetoma (Welsh et al). 1987;17:443-8

Acyclovir
Acyclovir resistance in a patient with chronic mucocutaneous herpes simplex infection (Westheim et al). 1987;17:875-80
Treatment of herpetic whitlow in pregnancy with acyclovir (Tschen and Baack). 1987;17:1059-60 (Letter)

Adenoid cystic carcinoma
Primary cutaneous adenoid cystic carcinoma (Seab and Graham). 1987;17:113-8 (Dermatopathology)

AIDS-related complex; *see also* **Acquired immunodeficiency syndrome**
Erythroderma as a manifestation of the AIDS-related complex (Herman and Kurban). 1987;17:507-8 (Letter)
Prevalence of cutaneous disease in patients with acquired immunodeficiency syndrome (AIDS) or AIDS-related complex (Goodman et al). 1987;17:210-20

Allergy
Allergic contact dermatitis from bacitracin (Held et al). 1987;17:592-4
Cross-allergy between 5-iodo-2′-deoxycytidine and idoxuridine (Foussereau and Tomb). 1987;17:145-7 (Letter)
Oral hyposensitization in nickel allergy (Sjövall et al). 1987;17:774-8

Alopecia
Alopecia areata, endocrine function, and autoantibodies in patients 16 years of age or younger (Milgraum et al). 1987;17:57-61
Alopecia areata and measles (Orecchia). 1987;17:840-1 (Letter)
Therapy versus placebo for alopecia areata (Hutchinson). (Letter); (Tosti et al) (Letter reply). 1987;17:516-7
Topical minoxidil in male pattern baldness: effects of discontinuation of treatment (Olsen and Weiner). 1987;17:97-101

American Academy of Dermatology
Atypical nevi and melanoma update at American Academy of Dermatology Meeting, December 1986 (Fusaro and Lynch). 1987;17:849-50 (Letter)

Ames assay
Assessment of diphenylcyclopropenone for photochemically induced mutagenicity in the Ames assay (Wilkerson et al). 1987;17:606-11

Amikacin
Amikacin alone and in combination with trimethoprim-sulfamethoxazole in the treatment of actinomycotic mycetoma (Welsh et al). 1987;17:443-8

Amylase
Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis (Berman et al). 1987;17:359-64

Amyotrophic lateral sclerosis
Skin changes in patients with amyotrophic lateral sclerosis: light and electron microscopic observations (Watanabe et al). 1987;17:1006-12
Anhidrosis
Generalized anhidrosis associated with Fabry's disease (Kang et al). 1987;17:883-7
Anomalies
Reversible contraception for women at high risk of fetal anomalies (Grimes). 1987;17:148-55 (Special article)
Anthralin
Combined tar-anthralin versus anthralin treatment lowers irritancy with unchanged antipsoriatic efficacy (Schulze et al). 1987;17:19-24
Antibiotic
Antibiotic choice for pyodermas (Feldman and Lynfield). 1987;17:859-60 (Letter)
Antibodies
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9
Dermatomyositis and pulmonary fibrosis associated with anti-Jo-1 antibody (Phillips et al). 1987;17:381-2
Large speckle-like thready and thready antinuclear antibody patterns as markers for different clinical presentations in lupus erythematosus (Nordby et al). 1987;17:427-33
Localized scleroderma (morphea) and antibody to *Borrelia burgdorferi* (Hoesly et al). 1987;17:455-8
Use of a monoclonal antibody (VM-2) plus the immunogold-silver technique to stain basal cell carcinoma cells (Morhenn et al). 1987;17:765-9
Antifungal agents
Antifungal agents in dermatology (Lesher and Smith). 1987;17:383-94 (CME article)
Antigen-presenting cells
Dose response and time course for induction of T6-DR + human epidermal antigen-presenting cells by in vivo ultraviolet A, B, and C irradiation (Baadsgaard et al). 1987;17:792-800
Antigens
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Immunohistochemical studies of major histocompatibility antigens in a case of the bare lymphocyte syndrome without immunodeficiency (Watanabe et al). 1987;17:895-902
Anti-Jo-1 antibody
Dermatomyositis and pulmonary fibrosis associated with anti-Jo-1 antibody (Phillips et al). 1987;17:381-2
Antinuclear antibody
Large speckle-like thready and thready antinuclear antibody patterns as markers for different clinical presentations in lupus erythematosus (Nordby et al). 1987;17:427-33
Antipsoriatic efficacy
Combined tar-anthralin versus anthralin treatment lowers irritancy with unchanged antipsoriatic efficacy (Schulze et al). 1987;17:19-24
Anxiety
Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin (Rubinow et al). 1987;17:25-32
Arteritis
Cutaneous manifestations of Takayasu's arteritis (Perniciaro et al). 1987;17:998-1005
Arthritis
Low-dose methotrexate therapy for cutaneous vasculitis of rheumatoid arthritis (Upchurch et al). 1987;17:355-9
Athlete
Molluscum contagiosum among cross-country runners (Mobacken and Nordin). 1987;17:519-20 (Letter)
Atopic dermatitis
Clinical effects of diaper types on the skin of normal infants and infants with atopic dermatitis (Seymour et al). 1987;17:988-97
Dry skin factor in atopic dermatitis (Scholtz). 1987;17:1057 (Letter)
Efamol in the treatment of atopic dermatitis (Wexler and Guenther). 1987;17:860 (Letter)
Atrophy; *see also* **Atrophic dermatitis**
Management of cutaneous atrophy after corticosteroid injection (Markwell) (Query); (Pinnell) (Query reply). 1987;17:521
Audiologic abnormalities
Audiologic abnormalities in cases of vitiligo (Tosti et al). 1987;17:230-3
Autoantibodies
Alopecia areata, endocrine function, and autoantibodies in patients 16 years of age or younger (Milgraum et al). 1987;17:57-61
Autofluorescence
Autofluorescence of clofazimine in discoid lupus erythematosus (Kossard et al). 1987;17:867-71
Autograft
Treatment of junctional epidermolysis bullosa with epidermal autografts (Carter et al). 1987;17:246-50
Azathioprine
Use of cyclophosphamide in azathioprine failures in pemphigus (Ahmed and Hombal). 1987;17:437-42
Azelaic acid
Azelaic acid (Nazzaro-Porro). 1987;17:1033-41 (Therapy)

B

Bacitracin
Allergic contact dermatitis from bacitracin (Held et al). 1987;17:592-4
Bacitracin: a unique topical antibiotic sensitizer (Katz and Fisher). 1987;17:1016-24
Bacterial infection
Diagnosis and treatment of impetigo (Coskey and Coskey). 1987;17:62-3
Baldness; *aee* **Alopecia**
Basal cell carcinoma
Immunolocalization of collagenase inhibitor in normal skin and basal cell carcinoma (Childers et al). 1987;17:1025-32
Multifocal recurrent basal cell carcinoma following primary tumor treatment by electrodesiccation and curettage (Wagner and Cottel). 1987;17:1047-9 (Derm. surg.)
The nevoid basal cell carcinoma syndrome: sensitivity to ultraviolet and x-ray irradiation (Frentz et al). 1987;17:637-43
Subungual basal cell carcinoma versus acral lentiginous melanoma (Mehregan) (Letter); (Rudolph) (Letter reply). 1987;17:511-3
Use of a combination of chemotherapy and radiation therapy in the management of advanced basal cell carcinoma of the head and neck (Robinson). 1987;17:770-4

Use of a monoclonal antibody (VM-2) plus the immunogold-silver technique to stain basal cell carcinoma cells (Morhenn et al). 1987;17:765-9

Basal cell epithelioma
Basal cell epithelioma in black patients (Altman et al). 1987;17:741-5

Betamethasone
Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream) (Barkey). 1987;17:518-9 (Letter)

Black patients
Acne rosacea in blacks (Rosen and Stone). 1987;17:70-3
Basal cell epithelioma in black patients (Altman et al). 1987;17:741-5

Blistering
Group B streptococcal blistering distal dactylitis in an adult diabetic (Benson and Solivan). 1987;17:310-1 (Letter)

Bloom's syndrome
Bloom's syndrome (Gretzula et al). 1987;17:479-88 (Clin. rev.)

Book reviews
Book reviews. 1987;17:156-61; 317-9; 522-31; 861-4; 1075-9

Borrelia burgdorferi
Localized scleroderma (morphea) and antibody to *Borrelia burgdorferi* (Hoesly et al). 1987;17:455-8

Bowen's disease
Polydactylous Bowen's disease of the nail (Baran and Gormley). 1987;17:201-4

Burow's grafts
Burow's grafts (Zitelli). 1987;17:271-9 (Derm. surg.)

C

Cancer; *see also* specific disease
Nonmelanoma skin cancer in Japanese residents of Kauai, Hawaii (Leong et al). 1987;17:233-8

Capsaicin
Treatment of chronic postherpetic neuralgia with topical capsaicin (Bernstein et al). 1987;17:93-6

Carcinoma; *see also* **Basal cell carcinoma; Squamous cell carcinoma**
Primary cutaneous adenoid cystic carcinoma (Seab and Graham). 1987;17:113-8 (Dermatopathology)

Cellulitis
Cryptococcal cellulitis with multiple sites of involvement (Hall et al). 1987;17:329-32
Cryptococcal cellulitis in renal transplant recipients (Carlson et al). 1987;17:469-72

Cephalexin
Toxic epidermal necrolysis due to cephalexin (Hogan and Rooney). 1987;17:852-3 (Letter)

Cheilitis
Actinic cheilitis: a review of the etiology, differential diagnosis, and treatment (Picascia and Robinson). 1987;17:255-64 (Clin. rev.)

Chemexfoliation
Chemexfoliation—indications and cautions (Lober). 1987;17:109-12 (Derm. surg.)

Chemotaxis
Effect of minoxidil in chemotaxis of neutrophils (Koperski et al). 1987;17:307-8 (Letter)

Chemotherapy
Inflammation of actinic keratoses from systemic chemotherapy (Johnson et al). 1987;17:192-7
Use of a combination of chemotherapy and radiation therapy in the management of advanced basal cell carcinoma of the head and neck (Robinson). 1987;17:770-4

Chest
"Ectopic" extramammary Paget's disease affecting the lower anterior aspect of the chest (Saida and Iwata). 1987;17:910-3

Child
Alopecia areata, endocrine function, and autoantibodies in patients 16 years of age or younger (Milgraum et al). 1987;17:57-61
Etretinate and premature epiphyseal closure in children (Glover and Atherton). 1987;17:853-4 (Letter)
Generalized eruptive histiocytoma in children (Caputo et al). 1987;17:449-54
Mycosis fungoides beginning in childhood and adolescence (Koch et al). 1987;17:563-70

Chlorpromazine
Henoch-Schönlein purpura induced by chlorpromazine (Aram). 1987;17:139-40 (Letter)

Clinical review
Clinical review. 1987;17:102-8; 255-70; 479-88; 663-74; 801-14; 1042-6

Clobetasol-17-propionate
Generalized pustular psoriasis associated with withdrawal of topical clobetasol-17-propionate (Telfer and Dawber) (Letter); (Olsen and Cornell) (Letter reply). 1987;17:144-5

Clofazimine
Autofluorescence of clofazimine in discoid lupus erythematosus (Kossard et al). 1987;17:867-71

Clonidine
Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation (Wiser et al). 1987;17:143-4 (Letter)

Clotrimazole
Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream) (Barkey). 1987;17:518-9 (Letter)

Coelenterate envenomation
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92

Collagenase
Immunolocalization of collagenase inhibitor in normal skin and basal cell carcinoma (Childers et al). 1987;17:1025-32

Comedones
Familial dyskeratotic comedones (Hall et al). 1987;17:808-14 (Clin. rev.)

Commentaries
Commentary. 1987;17:161-6; 320-7; 532-8; 856-6

Complement
Tartrazine, the complement system, and photosensitivity (Pereyo). 1987;17:143 (Letter)

Congenital disease
Extensive congenital erosions and vesicles healing with reticulate scarring (Gupta et al). 1987;17:369-76
Incidence of congenital melanocytic nevi in newborn babies in Denmark (Kroon et al). 1987;17:422-6
Multiple cutaneous neurilemmomas with abnormalities of the eyes

and congenital rib deformities (Prevoo and Starink). 1987;17:1054-5 (Letter)

Contact dermatitis
Cross-allergy between 5-iodo-2′-deoxycytidine and idoxuridine (Foussereau and Tomb). 1987;17:145-7 (Letter)

Contemporaries
Contemporaries. 1987;17:1080-1

Continuing medical education
Continuing medical education. 1987;17:1-13; 167-84; 383-94; 539-56; 703-34; 921-40
Continuing medical education examination. 1987;17:14-5; 183-4; 395-6; 557-9; 735-7; 941-3
Continuing medical education examination answers. 1987;17:16; 182; 394; 560; 738; 944

Contraception
Reversible contraception for women at high risk of fetal anomalies (Grimes). 1987;17:148-55 (Special article)
Study on the influence of etretinate on biologic activity of oral contraceptives (Berbis et al). 1987;17:302-3 (Letter)

Correspondence
Correspondence. 1987;17:135-47; 302-16; 506-20; 6^5-702; 838-60; 1054-64

Corticosteroid
Management of cutaneous atrophy after corticosteroid injection (Markwell). 1987;17:521 (Query)
Management of cutaneous atrophy after corticosteroid injection (Pinnell). 1987;17:521 (Query reply)

Cost-effectiveness
We must have a cost-effective change of attitude (Wilson) (Commentary) (Dobson) (Response) (Weary) (Response). 1987;17:324-7

Cowden's disease
Multiple hamartoma syndrome (Barax et al). 1987;17:342-6

Creatine phosphokinase
Creatine phosphokinase levels and isotretinoin therapy (Koransky). 1987;17:851-2 (Letter)

Cromolyn sodium
Cromolyn sodium in 2% aqueous solution under an occlusive hydrocolloid dressing may be effective adjunctive treatment in management of pyoderma gangrenosum (Smith et al). 1987;17:509-10 (Letter)

Cross-allergy
Cross-allergy between 5-iodo-2′-deoxycytidine and idoxuridine (Foussereau and Tomb). 1987;17:145-7 (Letter)

Crusted scabies
Crusted (Norwegian) scabies: treatment of nail involvement (DePaoli and Marks). 1987;17:136-9 (Letter)
Crusted scabies in human immunodeficiency virus infection (Drabick et al). 1987;17:142 (Letter)

Cryosurgery
Steroid therapy of postcryotherapy inflammation (Spiro and Hindson) (Letter); (Torre) (Letter reply). 1987;17:306

Cryptococcal cellulitis
Cryptococcal cellulitis with multiple sites of involvement (Hall et al). 1987;17:329-32
Cryptococcal cellulitis in renal transplant recipients (Carlson et al). 1987;17:469-72

Curettage
Multifocal recurrent basal cell carcinoma following primary tumor treatment by electrodesiccation and curettage (Wagner and Cottel). 1987;17:1047-9 (Derm. surg.)

Cyclophosphamide
Use of cyclophosphamide in azathioprine failures in pemphigus (Ahmed and Hombal). 1987;17:437-42

Cyclosporine
Cyclosporine A in epidermolysis bullosa acquista (Zachariae). 1987;17:1058-9 (Letter)
Treatment of resistant severe psoriasis with systemic cyclosporine (Picascia et al). 1987;17:408-13

Cystic disease
Malignant melanoma arising in an ovarian cystic teratoma in pregnancy (Boughton et al). 1987;17:871-5
Primary cutaneous adenoid cystic carcinoma (Seab and Graham). 1987;17:113-8 (Dermatopathology)
Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin (Rubinow et al). 1987;17:25-32

D

Dactylitis
Group B streptococcal blistering distal dactylitis in an adult diabetic (Benson and Solivan). 1987;17:310-1 (Letter)

Dental instrument
Phototoxic reaction triggered by a new dental instrument (Hudson) (Letter); (Urbach) (Letter reply). 1987;17:508

Depression
Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin (Rubinow et al). 1987;17:25-32

Dermatitis
Allergic contact dermatitis from bacitracin (Held et al). 1987;17:592-4
Clinical effects of diaper types on the skin of normal infants and infants with atopic dermatitis (Seymour et al). 1987;17:988-97
Cross-allergy between 5—iodo—2'—deoxycytidine and idoxuridine (Foussereau and Tomb). 1987;17:145-7 (Letter)
Dry skin factor in atopic dermatitis (Scholtz). 1987;17:1057 (Letter)
Efamol in the treatment of atopic dermatitis (Wexler and Guenther). 1987;17:860 (Letter)
Factitial dermatitis resulting in paraplegia (Burket and Burket). 1987;17:306-7 (Letter)
Familial incidence of dermatitis herpetiformis (Meyer and Zone). 1987;17:643-7
Pityrosporum, ketoconazole, and seborrheic dermatitis (Wishner et al). 1987;17:140-1 (Letter)

Dermatofibroma
Atrophic dermatofibroma and dermatofibrosarcoma protuberans (Page and Assaad). 1987;17:947-50

Dermatofibrosarcoma protuberans
Atrophic dermatofibroma and dermatofibrosarcoma protuberans (Page and Assaad). 1987;17:947-50

Dermatologic practice
Dermatologic organizations. 1987;17:280-4
Ethics and economics and the future of dermatology (Wilson). 1987;17:532-8 (Commentary)

Dermatologic surgery
Dermatologic surgery. 1987;17:109-12; 167-82; 271-9; 497-505; 815-25; 1047-9

Dermatopathology
Dermatopathology. 1987;17:113-31; 285-92; 489-96; 675-80
Desmoplastic trichoepithelioma
Desmoplastic trichoepithelioma and intradermal nevus: a combined malformation (Brownstein and Starink). 1987;17:489-92 (Dermatopathology)
Desoxyribonuclease
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9
Diabetes
Group B streptococcal blistering distal dactylitis in an adult diabetic (Benson and Solivan). 1987;17:310-1 (Letter)
Insulin lipodystrophy, lipohypertrophic type (Samadaei et al). 1987;17:506-7
Pentoxifylline for necrobiosis lipoidica diabeticorum (Littler and Tschen). 1987;17:314-6 (Letter)
Diaper
Clinical effects of diaper types on the skin of normal infants and infants with atopic dermatitis (Seymour et al). 1987;17:988-97
Clinical studies with disposable diapers containing absorbent gelling materials: evaluation of effects on infant skin condition (Campbell et al). 1987;17:978-87
Diet
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3
Diphenylcyclopropenone
Assessment of diphenylcyclopropenone for photochemically induced mutagenicity in the Ames assay (Wilkerson et al). 1987;17:606-11
Dorfman-Chanarin syndrome
Dorfman-Chanarin syndrome (Srebrnik et al). 1987;17:801-8 (Clin. rev.)
Dosimetry
Dosimetry in phototherapy cabinets (Fanselow et al). 1987;17:74-7
Drug eruption
Nonpigmenting fixed drug eruption as a distinctive reaction pattern: examples caused by sensitivity to pseudoephedrine hydrochloride and tetrahydrozoline (Shelley and Shelley). 1987;17:403-7
Wandering fixed drug eruption: a mucocutaneous reaction to acetaminophen (Guin et al). 1987;17:399-402
Drug-induced photo-onycholysis
Drug-induced photo-onycholysis (Baran and Juhlin). 1987;17:1012-6
Dyskeratotic comedones
Familial dyskeratotic comedones (Hall et al). 1987;17:808-14 (Clin. rev.)

E

Ear piercing
Ear piercing and sensitivity to nickel and gold (Fisher). 1987;17:853 (Letter)
Economics
Ethics and economics and the future of dermatology (Wilson) 1987;17:532-8 (Commentary)
Ethics and economics and the future of dermatology continued (Weary). 1987;17:699 (Letter)
Edema
Solid facial edema as a complication of acne vulgaris in twins (Tosti et al). 1987;17:843-4 (Letter)
Editorials
Editorial. 1987;17:132-4; 682-3; 1050-3
Efamol
Efamol in the treatment of atopic dermatitis (Wexler and Guenther). 1987;17:860 (Letter)
Ehlers-Danlos syndrome
Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome (Kahana et al). 1987;17:205-9
Electrodesiccation
Multifocal recurrent basal cell carcinoma following primary tumor treatment by electrodesiccation and curettage (Wagner and Cottel). 1987;17:1047-9 (Derm. surg.)
Electroepilation
Electroepilation in hirsutism (Chernosky). 1987;17:142-3 (Letter)
Electroepilation in hirsutism (Richards). 1987;17:143 (Letter reply)
Electrosurgery
Electrosurgery electrode safety (Rabhan) (Letter); (Sebben) (Letter reply). 1987;17:312
Fire extinguishing systems and electrosurgery (Torre) (Letter); (Sebben) (Letter reply). 1987;17:854 (Letter)
Emetine
Treatment of leishmaniasis nodosa (oriental sore) with intralesionally injected emetine hydrochloride (Cohen and Livshin). 1987;17:595-9
Endocrine function
Alopecia areata, endocrine function, and autoantibodies in patients 16 years of age or younger (Milgraum et al). 1987;17:57-61
Envenomation
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92
Eosinophilia
Eosinophilic pustular folliculitis (Camacho-Martinez). 1987;17:686-8 (Letter)
Frequency, levels, and significance of blood eosinophilia in systemic sclerosis, localized scleroderma, and eosinophilic fasciitis (Falanga and Medsger). 1987;17:648-56
Epidermal autograft
Treatment of junctional epidermolysis bullosa with epidermal autografts (Carter et al). 1987;17:246-50
Epidermal necrolysis
Toxic epidermal necrolysis due to cephalexin (Hogan and Rooney). 1987;17:852-3 (Letter)
Toxic epidermal necrolysis due to rifampicin (Okano et al). 1987;17:303-4 (Letter)
Epidermolysis bullosa
Cyclosporine A in epidermolysis bullosa acquista (Zachariae). 1987;17:1058-9 (Letter)
Epidermolysis bullosa acquisita associated with lymphoma (Baler). 1987;17:856-9 (Letter)
Epidermolysis bullosa responds to vitamin E when properly administered (Ayres) (Letter); (El-Tonsy and El-Benhawi) (Letter reply). 1987;17:848-9
Treatment of junctional epidermolysis bullosa with epidermal autografts (Carter et al). 1987;17:246-50
Epidermolytic palmoplantar keratoderma
Hereditary epidermolytic palmoplantar keratoderma (Vörner type) (Kanitakis et al). 1987;17:414-22

Epiluminescence microscopy
In vivo epiluminescence microscopy of pigmented skin lesions. I. Pattern analysis of pigmented skin lesions (Pehamberger et al). 1987;17:571-83
In vivo epiluminescence microscopy of pigmented skin lesions. II. Diagnosis of small pigmented skin lesions and early detection of malignant melanoma (Steiner et al). 1987;17:584-91

Epiphyseal closure
Etretinate and premature epiphyseal closure in children (Glover and Atherton). 1987;17:853-4 (Letter)

Epitaph
Epitaph. 1987;17:1082

Epithelioma
Basal cell epithelioma in black patients (Altman et al). 1987;17:741-5

Erosion
Extensive congenital erosions and vesicles healing with reticulate scarring (Gupta et al). 1987;17:369-76

Errors
Primary care physicians' errors in handling cutaneous disorders: a prospective survey (Pariser and Pariser). 1987;17:239-45

Eruption
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92

Erythema multiforme
Pityriasis rosea with erythema multiforme–like lesions (Friedman). 1987;17:135-6 (Letter)
Recurrent erythema multiforme due to *Mycoplasma pneumoniae* (Welch et al). 1987;17:839-40 (Letter)

Erythroderma
Erythroderma in infancy: a sign of immunodeficiency? (Patrizi et al) 1987;17:694-5 (Letter)
Erythroderma as a manifestation of the AIDS-related complex (Herman and Kurban). 1987;17:507-8 (Letter)

Esophagus
Acrokeratosis paraneoplastica with esophageal squamous cell carcinoma (Grimwood and Lekan). 1987;17:685-6 (Letter)

Ethics
Ethics and economics and the future of dermatology (Wilson). 1987;17:532-8 (Commentary)
Ethics and economics and the future of dermatology continued (Weary). 1987;17:699 (Letter)

Etretinate
Acrokeratoelastoidosis treated with etretinate (Handfield-Jones and Kennedy). 1987;17:881-2
Etretinate and paternity (Katz) (Letter); (Ellis and Voorhees) (Letter reply). 1987;17:509
Etretinate and premature epiphyseal closure in children (Glover and Atherton). 1987;17:853-4 (Letter)
The etretinate follow-up study: an opportunity to monitor safety and efficacy (Stern). 1987;17:145 (Letter)
Etretinate therapy reduces inpatient treatment of psoriasis (Ellis et al). 1987;17:787-91
Study on the influence of etretinate on biologic activity of oral contraceptives (Berbis et al). 1987;17:302-3 (Letter)

Exfoliation
Chemexfoliation—indications and cautions (Lober). 1987;17:109-12 (Derm. surg.)

Eye
Multiple cutaneous neurilemmomas with abnormalities of the eyes and congenital rib deformities (Prevoo and Starink). 1987;17:1054-5 (Letter)
Safety parameters for avoiding acute ocular damage from the reflected CO_2 (10.6 μm) laser beam (Friedman et al). 1987;17:815-8 (Derm. surg.)

F

Fabry's disease
Generalized anhidrosis associated with Fabry's disease (Kang et al). 1987;17:883-7

Face
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302

Factitious disorder
Factitial dermatitis resulting in paraplegia (Burket and Burket). 1987;17:306-7 (Letter)
Self-inflicted tongue ulcer: an unusual form of factitious disorder (Cristobal et al). 1987;17:339-41

Familial disease
Familial dyskeratotic comedones (Hall et al). 1987;17:808-14 (Clin. rev.)
Familial incidence of dermatitis herpetiformis (Meyer and Zone). 1987;17:643-7

Fasciitis
Frequency, levels, and significance of blood eosinophilia in systemic sclerosis, localized scleroderma, and eosinophilic fasciitis (Falanga and Medsger). 1987;17:648-56

Fat necrosis
Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis (Berman et al). 1987;17:359-64

Fetal anomalies
Reversible contraception for women at high risk of fetal anomalies (Grimes). 1987;17:148-55 (Special article)

Fibrinolysin-desoxyribonuclease
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9

Fibrofolliculoma
Fibrofolliculoma: solitary and multiple types (Starink and Brownstein). 1987;17:493-6 (Dermatopathology)

Fibroma
Atrophic dermatofibroma and dermatofibrosarcoma protuberans (Page and Assaad). 1987;17:947-50

Fibrosis
Dermatomyositis and pulmonary fibrosis associated with anti-Jo-1 antibody (Phillips et al). 1987;17:381-2

Finger
Group B streptococcal blistering distal dactylitis in an adult diabetic (Benson and Solivan). 1987;17:310-1 (Letter)

Fluorouracil
Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease (Eliezri et al). 1987;17:497-505 (Derm. surg.)
Topical tretinoin enhances percutaneous absorption of 5-fluorouracil in vitro (Sherertz and McTiernan). 1987;17:692-4 (Letter)
Weekly psoriasis therapy using intralesional fluorouracil (Pearlman et al). 1987;17:78-82

Follicle
Eosinophilic pustular folliculitis (Camacho-Martinez). 1987;17:686-8 (Letter)
Growth of human hair follicle keratinocytes in vitro (Imcke et al). 1987;17:779-86
Food
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3
Food and Drug Administration notes
Food and Drug Administration notes (Evans and Evans). 1987;17:681
Foot
Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome (Kahana et al). 1987;17:205-9
French Society of Dermatology
French Society of Dermatology, Spring meeting, Paris, France, March 12-15, 1986 (Burke and Eremia). 1987;17:1065-74
Fungal infection
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3

G

Gland
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Gloves
Use of gloves among dermatologists (Freeman et al). 1987;17:320-3 (Commentary)
Gold
Ear piercing and sensitivity to nickel and gold (Fisher). 1987;17:853 (Letter)
Grafting
Burow's grafts (Zitelli). 1987;17:271-9 (Derm. surg.)
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9
Granuloma annulare
Generalized granuloma annulare in a patient with acquired immunodeficiency syndrome (AIDS) (Bakos et al). 1987;17:844-5 (Letter)
Granulomatosis
Lymphomatoid granulomatosis (Jambrosic et al). 1987;17:621-31
Growth
Bloom's syndrome (Gretzula et al). 1987;17:479-88 (Clin. rev.)
Growth factors
Transforming growth factors and histopathologic interpretation (Stenn et al). 1987;17:161-3 (Commentary)
Gunpowder burn
Blast tattoos resulting from black powder firearms (Hanke et al). 1987;17:819-25 (Derm. surg.)

H

Hailey-Hailey disease
Herpes simplex associated with Hailey-Hailey disease (Zaim and Bickers). 1987;17:701-2 (Letter)
Hair; *see also* Alopecia
Electroepilation in hirsutism (Chernosky) (Letter); (Richards) (Letter reply). 1987;17:142-3
Growth of human hair follicle keratinocytes in vitro (Imcke et al). 1987;17:779-86
Hair bulb anomaly in a Japanese girl with uncombable hair (Stone et al). 1987;17:841-3 (Letter)
Localized pili canaliculi and trianguli (Ravella et al). 1987;17:377-80
Hamartoma
Multiple hamartoma syndrome (Barax et al). 1987;17:342-6
Hanseniasis
Autoaggressive hanseniasis (Azulay). 1987;17:1042-6 (Clin. rev.)
Health care
The future of rationed health care (Dobson). 1987;17:132-3 (Editorial)
Hearing
Audiologic abnormalities in cases of vitiligo (Tosti et al). 1987;17:230-3
Henoch-Schönlein purpura
Henoch-Schönlein purpura induced by chlorpromazine (Aram). 1987;17:139-40 (Letter)
Hereditary disease; *see also* Familial disease
Hereditary epidermolytic palmoplantar keratoderma (Vörner type) (Kanitakis et al). 1987;17:414-22
Herpes infection
Acyclovir resistance in a patient with chronic mucocutaneous herpes simplex infection (Westheim et al). 1987;17:875-80
Herpes gestationis (Shornick). 1987;17:539-56
Herpes simplex associated with Hailey-Hailey disease (Zaim and Bickers). 1987;17:701-2 (Letter)
Reactivation of latent herpes simplex virus infection by ultraviolet light: a human model (Perna et al). 1987;17:473-8
Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation (Wiser et al). 1987;17:143-4 (Letter)
Treatment of chronic postherpetic neuralgia with topical capsaicin (Bernstein et al). 1987;17:93-6
Treatment of herpetic whitlow in pregnancy with acyclovir (Tschen and Baack). 1987;17:1059-60 (Letter)
Hirsutism
Electroepilation in hirsutism (Chernosky) (Letter); (Richards) (Letter reply). 1987;17:142-3
Histiocytoma
Generalized eruptive histiocytoma in children (Caputo et al). 1987;17:449-54
Histocompatibility antigens
Immunohistochemical studies of major histocompatibility antigens in a case of the bare lymphocyte syndrome without immunodeficiency (Watanabe et al). 1987;17:895-902
Histopathology
Transforming growth factors and histopathologic interpretation (Stenn et al). 1987;17:161-3 (Commentary)
HLA-B27
Psoriasis, neutrophil leukocytes, and HLA-B27 (Cox). 1987;17:312-3 (Letter)
Psoriasis, neutrophil leukocytes, and HLA-B27 (Ternowitz and Zachariae). 1987;17:313 (Letter reply)

Human immunodeficiency virus; *see* **Acquired immunodeficiency syndrome**

Hypercalcemia
Cutaneous squamous cell carcinoma and hypercalcemia (Picascia and Caro). 1987;17:347-51

Hyperpigmentation
Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation (Wiser et al). 1987;17:143-4 (Letter)

Hypersensitivity
Immediate hypersensitivity (Keahey et al). 1987;17:826-37 (Periodic synopsis)

Hypertrophic lupus erythematosus
Successful treatment of hypertrophic lupus erythematosus with isotretinoin (Green and Piette). 1987;17:364-8

Hyposensitization
Oral hyposensitization in nickel allergy (Sjövall et al). 1987;17:774-8

I

Ibuprofen
Ibuprofen urticaria (Shelley and Shelley). 1987;17:1057-8 (Letter)

Ichthyosiform sarcoidosis
Ichthyosiform sarcoidosis (Banse-Kupin and Pelachyk). 1987;17:616-20

Idoxuridine
Cross-allergy between 5-iodo-2′-deoxycytidine and idoxuridine (Foussereau and Tomb). 1987;17:145-7 (Letter)

Immunodeficiency; *see also* **Acquired immunodeficiency syndrome**
Erythroderma in infancy: a sign of immunodeficiency? (Patrizi et al) 1987;17:694-5 (Letter)

Immunofluorescence
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9

Immunogold-silver technique
Use of a monoclonal antibody (VM-2) plus the immunogold-silver technique to stain basal cell carcinoma cells (Morhenn et al). 1987;17:765-9

Immunohistochemical studies
Immunohistochemical studies of major histocompatibility antigens in a case of the bare lymphocyte syndrome without immunodeficiency (Watanabe et al). 1987;17:895-902

Immunologic phenotyping
Clinical implications of immunologic phenotyping in cutaneous T cell lymphoma (Vonderheid et al). 1987;17:40-52

Immunosuppressed patient
An unusual presentation of tinea versicolor in an immunosuppressed patient (Daneshvar and Hashimoto). 1987;17:304-5 (Letter)

Immunotherapy
Subpopulations of T lymphocytes in psoriasis patients and their changes during immunotherapy (Rubins and Merson). 1987;17:972-7

Impetigo
Diagnosis and treatment of impetigo (Coskey and Coskey). 1987;17:62-3

Infant
Clinical effects of diaper types on the skin of normal infants and infants with atopic dermatitis (Seymour et al). 1987;17:988-97
Clinical studies with disposable diapers containing absorbent gelling materials: evaluation of effects on infant skin condition (Campbell et al). 1987;17:978-87
Erythroderma in infancy: a sign of immunodeficiency? (Patrizi et al) 1987;17:694-5 (Letter)
Incidence of congenital melanocytic nevi in newborn babies in Denmark (Kroon et al). 1987;17:422-6

Infection
Crusted scabies in human immunodeficiency virus infection (Drabick et al). 1987;17:142 (Letter)
Diagnosis and treatment of impetigo (Coskey and Coskey). 1987;17:62-3
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3

Inflammation
Inflammation of actinic keratoses from systemic chemotherapy (Johnson et al). 1987;17:192-7
Steroid therapy of postcryotherapy inflammation (Spiro and Hindson) (Letter); (Torre) (Letter reply). 1987;17:306

Insulin
Insulin lipodystrophy, lipohypertrophic type (Samadaei et al). 1987;17:506-7

Intradermal nevus
Desmoplastic trichoepithelioma and intradermal nevus: a combined malformation (Brownstein and Starink). 1987;17:489-92 (Dermatopathology)

Intralesional fluorouracil
Weekly psoriasis therapy using intralesional fluorouracil (Pearlman et al). 1987;17:78-82

Iontophoresis
Iontophoresis in dermatology (Sloan and Soltani). 1987;17:690 (Letter reply)
Iontophoresis in dermatology (Zlotogorski). 1987;17:690 (Letter)

Irradiation
The nevoid basal cell carcinoma syndrome: sensitivity to ultraviolet and x-ray irradiation (Frentz et al). 1987;17:637-43

Irritancy
Combined tar-anthralin versus anthralin treatment lowers irritancy with unchanged antipsoriatic efficacy (Schulze et al). 1987;17:19-24

Isotretinoin
Creatine phosphokinase levels and isotretinoin therapy (Koransky). 1987;17:851-2 (Letter)
Efficacy of topical isotretinoin 0.05% gel in acne vulgaris: results of a multicenter, double-blind investigation (Chalker et al). 1987;17:251-4
Isotretinoin-induced thrombocytopenia (Johnson and Rapini). 1987;17:838-9 (Letter)
Pyoderma faciale: successful treatment with isotretinoin (Marks and Briggaman). 1987;17:1062-3 (Letter)
Reduced anxiety and depression in cystic acne patients after successful treatment with oral isotretinoin (Rubinow et al). 1987;17:25-32
Successful treatment of hypertrophic lupus erythematosus with isotretinoin (Green and Piette). 1987;17:364-8

Itraconazole
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3

J

Japanese patient
Nonmelanoma skin cancer in Japanese residents of Kauai, Hawaii (Leong et al). 1987;17:233-8
Jellyfish
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92
Junctional epidermolysis bullosa
Treatment of junctional epidermolysis bullosa with epidermal autografts (Carter et al). 1987;17:246-50

K

Keratinocytes
Growth of human hair follicle keratinocytes in vitro (Imcke et al). 1987;17:779-86
Keratoderma
Hereditary epidermolytic palmoplantar keratoderma (Vörner type) (Kanitakis et al). 1987;17:414-22
Keratosis
Inflammation of actinic keratoses from systemic chemotherapy (Johnson et al). 1987;17:192-7
Ketoconazole
Comparative trial of a two-dosage schedule of ketoconazole 2% cream for the treatment of tinea pedis (Greer and Jolly). 1987;17:53-6
Pityrosporum, ketoconazole, and seborrheic dermatitis (Wishner et al). 1987;17:140-1 (Letter)

L

Laser
Safety parameters for avoiding acute ocular damage from the reflected CO_2 (10.6 μm) laser beam (Friedman et al). 1987;17:815-8 (Derm. surg.)
Leg ulcer
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9
Leiomyomas
Assessment of treatment for painful cutaneous leiomyomas (Archer and Greaves) (Letter); (Thompson) (Letter reply). 1987;17:141-2
Leishmaniasis
Sporotrichoid leishmaniasis in patients from Saudi Arabia: clinical and histologic features (Kibbi et al). 1987;17:759-64
Sporotrichoid leishmaniasis: report of a case in an American graduate student (Parks and Camisa). 1987;17:855-6 (Letter)
Treatment of leishmaniasis nodosa (oriental sore) with intralesionally injected emetine hydrochloride (Cohen and Livshin). 1987;17:595-9
Lentigo maligna melanoma
Microinvasive lentigo maligna melanoma (Penneys). 1987;17:675-80 (Dermatopathology)
Leprosy
Leprosy: new insight into an ancient disease (Modlin and Rea). 1987;17:1-13 (CME article)
Letter of resignation
Letter of resignation from the Academy by Drs. Edward Sprague, Ernst Epstein, Donald Paulson, and Joel Teisch (Epstein et al) (Letter); (Odom) (Letter reply). 1987;17:699-700
Letters
Correspondence. 1987;17:135-47; 302-16; 506-20; 685-702; 838-60; 1054-64
Leu-7 antigen
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Leukocytes
Psoriasis, neutrophil leukocytes, and HLA-B27 (Cox) (Letter); (Zachariae) (Letter reply). 1987;17:312-3
Light; *see* Ultraviolet light
Reactivation of latent herpes simplex virus infection by ultraviolet light: a human model (Perna et al). 1987;17:473-8
Light eruption
Benign summer light eruption: the most common photodermatosis (Jeanmougin and Civatte). 1987;17:690-1 (Letter)
Lipase
Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis (Berman et al). 1987;17:359-64
Lipodystrophy
Insulin lipodystrophy, lipohypertrophic type (Samadaei et al). 1987;17:506-7
Lipomatosis
Benign symmetric lipomatosis Launois-Bensaude (Ruzicka et al). 1987;17:663-74 (Clin. rev.)
Lotrisone cream
Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream) (Barkey). 1987;17:518-9 (Letter)
Lupus erythematosus
Autofluorescence of clofazimine in discoid lupus erythematosus (Kossard et al). 1987;17:867-71
Discoid lupus erythematosus occurring in a smallpox vaccination scar (Lupton). 1987;17:688-9 (Letter)
Large speckle-like thready and thready antinuclear antibody patterns as markers for different clinical presentations in lupus erythematosus (Nordby et al). 1987;17:427-33
Successful treatment of hypertrophic lupus erythematosus with isotretinoin (Green and Piette). 1987;17:364-8
Lymphocytes
Subpopulations of T lymphocytes in psoriasis patients and their changes during immunotherapy (Rubins and Merson). 1987;17:972-7
Lymphoma
Clinical evolution of cutaneous T cell lymphoma in a patient with antibodies to human T-lymphotropic virus type I (Knobler et al). 1987;17:903-9
Clinical implications of immunologic phenotyping in cutaneous T cell lymphoma (Vonderheid et al). 1987;17:40-52
Epidermolysis bullosa acquisita associated with lymphoma (Baler). 1987;17:856-9 (Letter)

Lymphomatoid disease
Lymphomatoid granulomatosis (Jambrosic et al). 1987;17:621-31
Lymphomatoid papulosis (Thomsen and Wantzin). 1987;17:632-6

M

Male pattern baldness; *see* Alopecia
Marker
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Measles
Alopecia areata and measles (Orecchia). 1987;17:840-1 (Letter)
Meeting report
Meeting report. 1987;17:1065-74
Melanocytic nevus
Incidence of congenital melanocytic nevi in newborn babies in Denmark (Kroon et al). 1987;17:422-6
Number of melanocytic nevi as a major risk factor for malignant melanoma (Holly et al). 1987;17:459-68
Recurrent melanocytic nevi: clinical and histologic review of 175 cases (Park et al). 1987;17:285-92 (Dermatopathology)
Melanoma
Atypical nevi and melanoma update at American Academy of Dermatology Meeting, December 1986 (Fusaro and Lynch). 1987;17:849-50 (Letter)
Dysplastic nevus syndrome and cancer risk—response (Kraemer). 1987;17:850-1 (Letter)
Incidence of congenital melanocytic nevi in newborn babies in Denmark (Kroon et al). 1987;17:422-6
Malignant melanoma arising in an ovarian cystic teratoma in pregnancy (Boughton et al). 1987;17:871-5
Microinvasive lentigo maligna melanoma (Penneys). 1987;17:675-80 (Dermatopathology)
Number of melanocytic nevi as a major risk factor for malignant melanoma (Holly et al). 1987;17:459-68
The rate of malignant melanoma in the United States: are we making an impact? (Rigel et al) 1987;17:1050-3 (Editorial)
Recurrent melanocytic nevi: clinical and histologic review of 175 cases (Park et al). 1987;17:285-92 (Dermatopathology)
Subungual basal cell carcinoma versus acral lentiginous melanoma (Mehregan) (Letter); (Rudolph) (Letter reply) 1987; 17:511-2
Melasma
Melasma occurring in twin sisters (Hughes). 1987;17:841 (Letter)
Mesothelioma
Malignant papillary mesothelioma of the tunica vaginalis testes: cutaneous metastases showing pagetoid epidermal invasion (Cartwright and Steinman). 1987;17:887-90
Methotrexate
Low-dose methotrexate therapy for cutaneous vasculitis of rheumatoid arthritis (Upchurch et al). 1987;17:355-9
Pancytopenia induced by the interaction between methotrexate and trimethoprim-sulfamethoxazole (Thomas et al). 1987;17:1055-6 (Letter)
Micrographic surgery
Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease (Eliezri et al). 1987;17:497-505 (Derm. surg.)
Microscopy
In vivo epiluminescence microscopy of pigmented skin lesions. I. Pattern analysis of pigmented skin lesions (Pehamberger et al). 1987;17:571-83
In vivo epiluminescence microscopy of pigmented skin lesions. II. Diagnosis of small pigmented skin lesions and early detection of malignant melanoma (Steiner et al). 1987;17:584-91
Minoxidil
Deaths associated with topical minoxidil therapy (Baral) (Letter); (Spindler) (Letter reply). 1987;17:515
Effect of minoxidil in chemotaxis of neutrophils (Koperski et al). 1987;17:307-8 (Letter)
Topical minoxidil in male pattern baldness: effects of discontinuation of treatment (Olsen and Weiner). 1987;17:97-101
Mohs micrographic surgery
Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease (Eliezri et al). 1987;17:497-505 (Derm. surg.)
Molluscum contagiosum
Molluscum contagiosum among cross-country runners (Mobacken and Nordin). 1987;17:519-20 (Letter)
Monoclonal antibody
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9
Use of a monoclonal antibody (VM-2) plus the immunogold-silver technique to stain basal cell carcinoma cells (Morhenn et al). 1987;17:765-9
Morphea
Localized scleroderma (morphea) and antibody to *Borrelia burgdorferi* (Hoesly et al). 1987;17:455-8
Mortality
Deaths associated with topical minoxidil therapy (Baral) (Letter); (Spindler) (Letter reply). 1987;17:515
Multiple hamartoma syndrome
Multiple hamartoma syndrome (Barax et al). 1987;17:342-6
Mutagenicity
Assessment of diphenylcyclopropenone for photochemically induced mutagenicity in the Ames assay (Wilkerson et al). 1987;17:606-11
Mycetoma
Amikacin alone and in combination with trimethoprim-sulfamethoxazole in the treatment of actinomycotic mycetoma (Welsh et al). 1987,17:443-8
Mycobacterium leprae
Leprosy: new insight into an ancient disease (Modlin and Rea). 1987;17:1-13 (CME article)
Mycophenolic acid
Mycophenolic acid for psoriasis (Epinette et al). 1987;17: 962-71
Mycoplasma pneumoniae
Recurrent erythema multiforme due to *Mycoplasma pneumoniae* (Welch et al). 1987;17:839-40 (Letter)
Mycosis fungoides
Mycosis fungoides beginning in childhood and adolescence (Koch et al). 1987;17:563-70

N

Nail
Crusted (Norwegian) scabies: treatment of nail involvement (DePaoli and Marks). 1987;17:136-9 (Letter)

Drug-induced photo-onycholysis (Baran and Juhlin). 1987;17:1012-6
Polydactylous Bowen's disease of the nail (Baran and Gormley). 1987;17:201-4

Necrobiosis lipoidica diabeticorum
Pentoxifylline for necrobiosis lipoidica diabeticorum (Littler and Tschen). 1987;17:314-6 (Letter)

Necrobiotic xanthogranuloma
Plasmapheresis, a treatment modality for necrobiotic xanthogranuloma (Finelli and Ratz). 1987;17:351-4

Necrolysis
Toxic epidermal necrolysis due to cephalexin (Hogan and Rooney). 1987;17:852-3 (Letter)

Necrosis
Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis (Berman et al). 1987;17:359-64

Neisseria gonorrhoeae
A new technic for transport, enrichment, and cultural detection of *Neisseria gonorrhoeae* (Gernand et al). 1987;17:197-200

Neonate; *see* Infant

Neuralgia
Treatment of chronic postherpectic neuralgia with topical capsaicin (Bernstein et al). 1987;17:93-6

Neural-tissue marker
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91

Neurilemmoma
Agminated neurilemomas (Berger et al). 1987;17:891-4
Multiple cutaneous neurilemmomas with abnormalities of the eyes and congenital rib deformities (Prevoo and Starink). 1987;17:1054-5 (Letter)

Neutrophil
Effect of minoxidil in chemotaxis of neutrophils (Koperski et al). 1987;17:307-8 (Letter)
Psoriasis, neutrophil leukocytes, and HLA-B27 (Cox) (Letter); (Ternowitz and Zachariae) (Letter reply) 1987;17:312-3

Nevus
Atypical nevi and melanoma update at American Academy of Dermatology Meeting, December 1986 (Fusaro and Lynch). 1987;17:849-50 (Letter)
Desmoplastic trichoepithelioma and intradermal nevus: a combined malformation (Brownstein and Starink). 1987;17:489-92 (Dermatopathology)
Dysplastic nevus syndrome and cancer risk— response (Kraemer). 1987;17:850-1 (Letter)
Incidence of congenital melanocytic nevi in newborn babies in Denmark (Kroon et al). 1987;17:422-6
Number of melanocytic nevi as a major risk factor for malignant melanoma (Holly et al). 1987;17:459-68
Recurrent melanocytic nevi: clinical and histologic review of 175 cases (Park et al). 1987;17:285-92 (Dermatopathology)

Nickel
Ear piercing and sensitivity to nickel and gold (Fisher). 1987;17:853 (Letter)
Oral hypersensitization in nickel allergy (Sjövall et al). 1987;17:774-8

Norwegian scabies
Crusted (Norwegian) scabies: treatment of nail involvement (DePaoli and Marks). 1987;17:136-9 (Letter)

O

Onycholysis
Drug-induced photo-onycholysis (Baran and Juhlin). 1987;17:1012-6

Oral contraceptives
Study on the influence of etretinate on biologic activity of oral contraceptives (Berbis et al). 1987;17:302-3 (Letter)

Oriental sore
Treatment of leishmaniasis nodosa (oriental sore) with intralesionally injected emetine hydrochloride (Cohen and Livshin). 1987;17:595-9

Ovarian cystic teratoma
Malignant melanoma arising in an ovarian cystic teratoma in pregnancy (Boughton et al). 1987;17:871-5

P

Pagetoid epidermal invasion
Malignant papillary mesothelioma of the tunica vaginalis testes: cutaneous metastases showing pagetoid epidermal invasion (Cartwright and Steinman). 1987;17:887-90

Paget's disease
"Ectopic" extramammary Paget's disease affecting the lower anterior aspect of the chest (Saida and Iwata). 1987;17:910-3
Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease (Eliezri et al). 1987;17:497-505 (Derm. surg.)

Palmoplantar keratoderma
Hereditary epidermolytic palmoplantar keratoderma (Vörner type) (Kanitakis et al). 1987;17:414-22

Pancreatitis
Fatal pancreatitis presenting with subcutaneous fat necrosis: evidence that lipase and amylase alone do not induce lipocyte necrosis (Berman et al). 1987;17:359-64

Pancytopenia
Pancytopenia induced by the interaction between methotrexate and trimethoprim-sulfamethoxazole (Thomas et al). 1987;17:1055-6 (Letter)

Papule
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302
Lymphomatoid papulosis (Thomsen and Wantzin). 1987;17:632-6
Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome (Kahana et al). 1987;17:205-9

Paraplegia
Factitial dermatitis resulting in paraplegia (Burket and Burket). 1987;17:306-7 (Letter)

Paternity
Etretinate and paternity (Katz) (Letter); (Ellis and Voorhees) (Letter reply). 1987;17:509

Pedal papule
Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome (Kahana et al). 1987;17:205-9

Peeling
Chemexfoliation—indications and cautions (Lober). 1987;17:109-12 (Derm. surg.)

Pemphigus
Estimation of prednisone intake in pemphigus vulgaris patients with the use of simple laboratory methods (Segal et al). 1987;17:612-5
Pemphigus vulgaris probably induced by penicillin (Brenner and Livni). 1987;17:514-5 (Letter)
Use of cyclophosphamide in azathioprine failures in pemphigus (Ahmed and Hombal). 1987;17:437-42
Penicillin
Pemphigus vulgaris probably induced by penicillin (Brenner and Livni). 1987;17:514-5 (Letter)
Penicillin-induced generalized pustular psoriasis (Katz et al). 1987;17:918-20
Pentoxifylline
Pentoxifylline for necrobiosis lipoidica diabeticorum (Littler and Tschen). 1987;17:314-6 (Letter)
Periodic synopsis
Periodic synopsis. 1987;17:293-301; 826-37
Pharmacokinetics
The influence of food on the pharmacokinetics of itraconazole in patients with superficial fungal infection (Wishart). 1987;17:220-3
Phenotyping
Clinical implications of immunologic phenotyping in cutaneous T cell lymphoma (Vonderheid et al). 1987;17:40-52
Photochemical conversion
Assessment of diphenylcyclopropenone for photochemically induced mutagenicity in the Ames assay (Wilkerson et al). 1987;17:606-11
Photosensitivity
Benign summer light eruption: the most common photodermatosis (Jeanmougin and Civatte). 1987;17:690-1 (Letter)
Drug-induced photo-onycholysis (Baran and Juhlin). 1987;17:1012-6
Photodermatoses (Lim et al). 1987;17:293-301 (Periodic synopsis)
Photosensitive psoriasis (Ros and Eklund). 1987;17:752-8
Phototoxic reaction triggered by a new dental instrument (Hudson) (Letter); (Urbach) (Letter reply). 1987;17:508-9
Piroxicam-induced photosensitivity (Morison et al) (Letter); (McKerrow and Greig) (Letter reply). 1987;17:698-9
Tartrazine, the complement system, and photosensitivity (Pereyo). 1987;17:143 (Letter)
Phototherapy
Dosimetry in phototherapy cabinets (Fanselow et al). 1987;17:74-7
Psoralen photochemotherapy (Gupta and Anderson). 1987;17:703-34 (CME article)
Physicians' errors
Primary care physicians' errors in handling cutaneous disorders: a prospective survey (Pariser and Pariser). 1987;17:239-45
Piezogenic pedal papules
Painful piezogenic pedal papules in patients with Ehlers-Danlos syndrome (Kahana et al). 1987;17:205-9
Pigment
In vivo epiluminescence microscopy of pigmented skin lesions. I. Pattern analysis of pigmented skin lesions (Pehamberger et al). 1987;17:571-83
In vivo epiluminescence microscopy of pigmented skin lesions. II. Diagnosis of small pigmented skin lesions and early detection of malignant melanoma (Steiner et al). 1987;17:584-91
Pigmentation
Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation (Wiser et al). 1987;17:143-4 (Letter)
Pili canaliculi and trianguli
Localized pili canaliculi and trianguli (Ravella et al). 1987;17:377-80
Pilomatrix carcinoma
Pilomatrix carcinoma (Green et al). 1987;17:264-70 (Clin. rev.)
Piroxicam
Piroxicam-induced photosensitivity (Morison) (Letter); (McKerrow and Greig) (Letter reply). 1987;17:698-9
Pityriasis rosea
Pityriasis rosea with erythema multiforme–like lesions (Friedman). 1987;17:135-6 (Letter)
Pityrosporum
Pityrosporum, ketoconazole, and seborrheic dermatitis (Wishner et al). 1987;17:140-1 (Letter)
Placebo
Therapy versus placebo for alopecia areata (Hutchinson) (Letter); (Tosti et al) (Letter reply). 1987;17:516
Plaque
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302
Plasmapheresis
Plasmapheresis, a treatment modality for necrobiotic xanthogranuloma (Finelli and Ratz). 1987;17:351-4
Polydactylous Bowen's disease
Polydactylous Bowen's disease of the nail (Baran and Gormley). 1987;17:201-4
Port-wine stains
Port-wine stains: a new hypothesis (Rosen and Smoller). 1987;17:164-6 (Commentary)
Prednisone
Estimation of prednisone intake in pemphigus vulgaris patients with the use of simple laboratory methods (Segal et al). 1987;17:612-5
Pregnancy
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302
Treatment of herpetic whitlow in pregnancy with acyclovir (Tschen and Baack). 1987;17:1059-60 (Letter)
Primary care physicians
Primary care physicians' errors in handling cutaneous disorders: a prospective survey (Pariser and Pariser). 1987;17:239-45
Propyl gallate
Safety of propyl gallate in topical products (Cusano et al) (Letter); (Cronin) (Letter reply); (Fisher) (Letter reply). 1987;17:308-9
Pruritic urticarial papules
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302
Pseudoephedrine hydrochloride
Nonpigmenting fixed drug eruption as a distinctive reaction pattern: examples caused by sensitivity to pseudoephedrine hydrochloride and tetrahydrozoline (Shelley and Shelley). 1987;17:403-7

Psoralens
Cardiac complications of psoralens plus ultraviolet A (PUVA) therapy (Mora-Morillas et al). 1987;17:691-2 (Letter)
Indoor and outdoor efficacy testing of a broad-spectrum sunscreen against ultraviolet A radiation in psoralen-sensitized subjects (Lowe et al). 1987;17:224-30
Psoralen photochemotherapy (Gupta and Anderson). 1987;17:703-34 (CME article)
Psoriasis
Etretinate therapy reduces inpatient treatment of psoriasis (Ellis et al). 1987;17:787-91
Generalized pustular psoriasis associated with withdrawal of topical clobetasol-17-propionate (Telfer and Dawber) (Letter); (Olsen and Cornell) (Letter reply). 1987;17:144-5
Mycophenolic acid for psoriasis (Epinette et al). 1987;17:962-71
Penicillin-induced generalized pustular psoriasis (Katz et al). 1987;17:918-20
Photosensitive psoriasis (Ros and Eklund). 1987;17:752-8
Psoriasis, neutrophil leukocytes, and HLA-B27 (Cox) (Letter); (Ternowitz and Zachariae) (Letter reply). 1987;17:312-3
Psoriasis and stress: a prospective study (Gaston et al). 1987;17:82-6
Subpopulations of T lymphocytes in psoriasis patients and their changes during immunotherapy (Rubins and Merson). 1987;17:972-7
Treatment of resistant severe psoriasis with systemic cyclosporine (Picascia et al). 1987;17:408-13
Weekly psoriasis therapy using intralesional fluorouracil (Pearlman et al). 1987;17:78-82
Pulmonary fibrosis
Dermatomyositis and pulmonary fibrosis associated with anti-Jo-1 antibody (Phillips et al). 1987;17:381-2
Purpura
Henoch-Schönlein purpura induced by chlorpromazine (Aram). 1987;17:139-40 (Letter)
Pustular disease
Eosinophilic pustular folliculitis (Camacho-Martinez). 1987;17:686-8 (Letter)
Generalized pustular psoriasis associated with withdrawal of topical clobetasol-17-propionate (Telfer and Dawber) (Letter); (Olsen and Cornell) (Letter reply). 1987;17:144-5
Pyoderma
Antibiotic choice for pyodermas (Feldman and Lynfield). 1987;17:859-60 (Letter)
Cromolyn sodium in 2% aqueous solution under an occlusive hydrocolloid dressing may be effective adjunctive treatment in management of pyoderma gangrenosum (Smith et al). 1987;17:509-10 (Letter)
Pyoderma faciale: successful treatment with isotretinoin (Marks and Briggaman). 1987;17:1062-3 (Letter)

Q

Queries
Queries. 1987;17:521

R

Radiation
Indoor and outdoor efficacy testing of a broad-spectrum sunscreen against ultraviolet A radiation in psoralen-sensitized subjects (Lowe et al). 1987;17:224-30
Use of a combination of chemotherapy and radiation therapy in the management of advanced basal cell carcinoma of the head and neck (Robinson). 1987;17:770-4
Rationed health care
The future of rationed health care (Dobson). 1987;17:132-3 (Editorial)
Reaction
Phototoxic reaction triggered by a new dental instrument (Hudson). 1987;17:508 (Letter)
Renal transplant
Cryptococcal cellulitis in renal transplant recipients (Carlson et al). 1987;17:469-72
Reticulate scarring
Extensive congenital erosions and vesicles healing with reticulate scarring (Gupta et al). 1987;17:369-76
Reticuloid
Actinic reticuloid (Buchness and Ashinoff) (Letter); (Lowe and Weingarten) (Letter reply). 1987;17:1063-4
Retinoids
How to avoid side effects from oral retinoids (Ayres) (Letter); (Silverman) (Letter reply). 1987;17:1060-1
Rheumatoid arthritis
Low-dose methotrexate therapy for cutaneous vasculitis of rheumatoid arthritis (Upchurch et al). 1987;17:355-9
Rib
Multiple cutaneous neurilemmomas with abnormalities of the eyes and congenital rib deformities (Prevoo and Starink). 1987;17:1054-5 (Letter)
Rifampicin
Toxic epidermal necrolysis due to rifampicin (Okano et al). 1987;17:303-4 (Letter)
Rothmund-Thomson syndrome
Rothmund-Thomson syndrome: a case report, phototesting, and literature review (Berg et al). 1987;17:332-8

S

S-100 protein
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Safety
Electrosurgery electrode safety (Rabhan) (Letter); (Sebben) (Letter reply). 1987;17:312
Fire extinguishing systems and electrosurgery (Torre) (Letter); (Sebben) (Letter reply). 1987;17:854
Safety parameters for avoiding acute ocular damage from the reflected CO_2 (10.6 μm) laser beam (Friedman et al). 1987;17:815-8 (Derm. surg.)
Sarcoidosis
Ichthyosiform sarcoidosis (Banse-Kupin and Pelachyk). 1987;17:616-20
Sarcoma
Atrophic dermatofibroma and dermatofibrosarcoma protuberans (Page and Assaad). 1987;17:947-50
Scabies
Atypical crusted scabies (Wolf and Krakowski). 1987;17:434-6
Crusted (Norwegian) scabies: treatment of nail involvement (DePaoli and Marks). 1987;17:136-9 (Letter)
Crusted scabies in human immunodeficiency virus infection (Drabick et al). 1987;17:142 (Letter)

Scarring
Discoid lupus erythematosus occurring in a smallpox vaccination scar (Lupton). 1987;17:688-9 (Letter)
Extensive congenital erosions and vesicles healing with reticulate scarring (Gupta et al). 1987;17:369-76
Scarring following inappropriate use of 0.05% tretinoin gel (Hogan). 1987;17:1056-7 (Letter)
Scleroderma
Frequency, levels, and significance of blood eosinophilia in systemic sclerosis, localized scleroderma, and eosinophilic fasciitis (Falanga and Medsger). 1987;17:648-56
Localized scleroderma (morphea) and antibody to *Borrelia burgdorferi* (Hoesly et al). 1987;17:455-8
Sclerosis
Frequency, levels, and significance of blood eosinophilia in systemic sclerosis, localized scleroderma, and eosinophilic fasciitis (Falanga and Medsger). 1987;17:648-56
Skin changes in patients with amyotrophic lateral sclerosis: light and electron microscopic observations (Watanabe et al). 1987;17:1006-12
Seborrheic dermatitis
Pityrosporum, ketoconazole, and seborrheic dermatitis (Wishner et al). 1987;17:140-1 (Letter)
Sensitivity
Nonpigmenting fixed drug eruption as a distinctive reaction pattern: examples caused by sensitivity to pseudoephedrine hydrochloride and tetrahydrozoline (Shelley and Shelley). 1987;17:403-7
Skin grafting
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9
Smallpox vaccination
Discoid lupus erythematosus occurring in a smallpox vaccination scar (Lupton). 1987;17:688-9 (Letter)
Smear
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9
Special article
Special article. 1987;17:148-55
Sporotrichoid leishmaniasis
Sporotrichoid leishmaniasis in patients from Saudi Arabia: clinical and histologic features (Kibbi et al). 1987;17:759-64
Sporotrichoid leishmaniasis: report of a case in an American graduate student (Parks and Camisa). 1987;17:855-6 (Letter)
Squamous cell carcinoma
Acrokeratosis paraneoplastica with esophageal squamous cell carcinoma (Grimwood and Lekan). 1987;17:685-6 (Letter)
Cutaneous squamous cell carcinoma and hypercalcemia (Picascia and Caro). 1987;17:347-51
Stains
Port-wine stains: a new hypothesis (Rosen and Smoller). 1987;17:164-6 (Commentary)
Staphylococcus aureus
Diagnosis and treatment of impetigo (Coskey and Coskey). 1987;17:62-3
Steroid
Steroid therapy of postcryotherapy inflammation (Spiro and Hindson) (Letter); (Torre) (Letter reply). 1987;17:306
Stibogluconate
Intralesional injection of sodium stibogluconate by dermal pressure-jet instrument (Kellum). 1987;17:694 (Letter)
Sting
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92
Streptococcal blistering
Group B streptococcal blistering distal dactylitis in an adult diabetic (Benson and Solivan). 1987;17:310-1 (Letter)
Stress
Psoriasis and stress: a prospective study (Gaston et al). 1987;17:82-6
Striae
Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream) (Barkey). 1987;17:518-9 (Letter)
Sun sensitivity; *see* Photosensitivity
Bloom's syndrome (Gretzula et al). 1987;17:479-88 (Clin. rev.)
Sunscreen
Indoor and outdoor efficacy testing of a broad-spectrum sunscreen against ultraviolet A radiation in psoralen-sensitized subjects (Lowe et al). 1987;17:224-30
Surgery
Role of preoperative topical 5-fluorouracil in preparation for Mohs micrographic surgery of extramammary Paget's disease (Eliezri et al). 1987;17:497-505 (Derm. surg.)
Sweat
Generalized anhidrosis associated with Fabry's disease (Kang et al). 1987;17:883-7
Sweat gland tumor
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Syphilis
Nodular secondary syphilis mimicking cutaneous lymphoreticular process (Hodak et al). 1987;17:914-7

T

T cell
Clinical evolution of cutaneous T cell lymphoma in a patient with antibodies to human T-lymphotropic virus type I (Knobler et al). 1987;17:903-9
Clinical implications of immunologic phenotyping in cutaneous T cell lymphoma (Vonderheid et al). 1987;17:40-52
Subpopulations of T lymphocytes in psoriasis patients and their changes during immunotherapy (Rubins and Merson). 1987;17:972-7
Takayasu's arteritis
Cutaneous manifestations of Takayasu's arteritis (Perniciaro et al). 1987;17:998-1005
Tar
Combined tar-anthralin versus anthralin treatment lowers irritancy with unchanged antipsoriatic efficacy (Schulze et al). 1987;17:19-24
Tar: an ultraviolet B screen (Dijkstra and Andreano) (Letter); (Stern) (Letter reply). 1987;17:845-7
Tartrazine
Tartrazine, the complement system, and photosensitivity (Pereyo). 1987;17:143 (Letter)

Tattoos
Blast tattoos resulting from black powder firearms (Hanke et al). 1987;17:819-25 (Derm. surg.)
Telangiectasia
Bloom's syndrome (Gretzula et al). 1987;17:479-88 (Clin. rev.)
Treatment of telangiectasia: a review (Goldman and Bennett). 1987;17:167-82 (CME article)
Teratoma
Malignant melanoma arising in an ovarian cystic teratoma in pregnancy (Boughton et al). 1987;17:871-5
Tetrahydrozoline
Nonpigmenting fixed drug eruption as a distinctive reaction pattern: examples caused by sensitivity to pseudoephedrine hydrochloride and tetrahydrozoline (Shelley and Shelley). 1987;17:403-7
Therapy
Therapy. 1987;17:383-94; 1033-41
Thrombocytopenia
Isotretinoin-induced thrombocytopenia (Johnson and Rapini). 1987;17:838-9 (Letter)
Tinea corporis
Striae and persistent tinea corporis related to prolonged use of betamethasone dipropionate 0.05% cream/clotrimazole 1% cream (Lotrisone cream) (Barkey). 1987;17:518-9 (Letter)
Tinea pedis
Comparative trial of a two-dosage schedule of ketoconazole 2% cream for the treatment of tinea pedis (Greer and Jolly). 1987;17:53-6
Tinea versicolor
An unusual presentation of tinea versicolor in an immunosuppressed patient (Daneshvar and Hashimoto). 1987;17:304-5 (Letter)
Tongue
Self-inflicted tongue ulcer: an unusual form of factitious disorder (Cristobal et al). 1987;17:339-41
Topical medication
Deaths associated with topical minoxidil therapy (Baral) (Letter); (Spindler) (Letter reply). 1987;17:515
Efficacy of topical isotretinoin 0.05% gel in acne vulgaris: results of a multicenter, double-blind investigation (Chalker et al). 1987;17:251-4
Safety of propyl gallate in topical products (Cusano et al) (Letter); (Cronin) (Letter reply); (Fisher) (Letter reply). 1987;17:308-9
Transdermal clonidine
Transdermal clonidine: an association with recurrent herpes simplex and hyperpigmentation (Wiser et al). 1987;17:143-4 (Letter)
Transplant
Cryptococcal cellulitis in renal transplant recipients (Carlson et al). 1987;17:469-72
Tretinoin
Scarring following inappropriate use of 0.05% tretinoin gel (Hogan). 1987;17:1056-7 (Letter)
Topical tretinoin enhances percutaneous absorption of 5-fluorouracil in vitro (Sherertz and McTiernan). 1987;17:692-4 (Letter)
Trichoepithelioma
Desmoplastic trichoepithelioma and intradermal nevus: a combined malformation (Brownstein and Starink). 1987;17:489-92 (Dermatopathology)
Trimethoprim-sulfamethoxazole
Amikacin alone and in combination with trimethoprim-sulfamethoxazole in the treatment of actinomycotic mycetoma (Welsh et al). 1987;17:443-8
Pancytopenia induced by the interaction between methotrexate and trimethoprim-sulfamethoxazole (Thomas et al). 1987;17:1055-6 (Letter)
Tuberculoid leprosy
Leprosy: new insight into an ancient disease (Modlin and Rea). 1987;17:1-13 (CME article)
Tumor
Expression of neural-tissue markers (S-100 protein and Leu-7 antigen) by sweat gland tumors of the skin: an immunohistochemical study (Kanitakis et al). 1987;17:187-91
Multifocal recurrent basal cell carcinoma following primary tumor treatment by electrodesiccation and curettage (Wagner and Cottel). 1987;17:1047-9 (Derm. surg.)
Tunica vaginalis testes
Malignant papillary mesothelioma of the tunica vaginalis testes: cutaneous metastases showing pagetoid epidermal invasion (Cartwright and Steinman). 1987;17:887-90
Twins
Melasma occurring in twin sisters (Hughes). 1987;17:841 (Letter)
Solid facial edema as a complication of acne vulgaris in twins (Tosti et al). 1987;17:843-4 (Letter)
Tzanck smear
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9

U

Ulcer
Controlled double-blind trial of fibrinolysin-desoxyribonuclease (Elase) solution in patients with chronic leg ulcers who are treated before autologous skin grafting (Westerhof et al). 1987;17:32-9
Self-inflicted tongue ulcer: an unusual form of factitious disorder (Cristobal et al). 1987;17:339-41
Ultraviolet light
Cardiac complications of psoralens plus ultraviolet A (PUVA) therapy (Mora-Morillas et al). 1987;17:691-2 (Letter)
Dose response and time course for induction of T6-DR+ human epidermal antigen-presenting cells by in vivo ultraviolet A, B, and C irradiation (Baadsgaard et al). 1987;17:792-800
Indoor and outdoor efficacy testing of a broad-spectrum sunscreen against ultraviolet A radiation in psoralen-sensitized subjects (Lowe et al). 1987;17:224-30
The nevoid basal cell carcinoma syndrome: sensitivity to ultraviolet and x-ray irradiation (Frentz et al). 1987;17:637-43
Reactivation of latent herpes simplex virus infection by ultraviolet light: a human model (Perna et al). 1987;17:473-8
Tar: an ultraviolet B screen (Dijkstra and Andreano) (Letter); (Stern) (Letter reply). 1987;17:845-7
Urticaria
Facial involvement in pruritic urticarial papules and plaques of pregnancy (Carruthers) (Letter); (Alcalay et al) (Letter reply). 1987;17:302

Ibuprofen urticaria (Shelley and Shelley). 1987;17:1057-8 (Letter)

V

Vaccination
Discoid lupus erythematosus occurring in a smallpox vaccination scar (Lupton). 1987;17:688-9 (Letter)

Varicella zoster
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9

Vasculitis
Low-dose methotrexate therapy for cutaneous vasculitis of rheumatoid arthritis (Upchurch et al). 1987;17:355-9

Venom
Recurrent eruptions following unusual solitary coelenterate envenomations (Burnett et al). 1987;17:86-92

Verruciform xanthoma
Verruciform xanthoma of the lower extremity—report of a case and review of literature (Chyu et al). 1987;17:695-8 (Letter)

Vesicle
Extensive congenital erosions and vesicles healing with reticulate scarring (Gupta et al). 1987;17:369-76

Video display terminal
Skin problems in video display terminal users (Berg and Liden). 1987;17:682-3 (Editorial)

Virus; *see also* **Acquired immunodeficiency syndrome**
Comparison of detection of varicella zoster virus by the Tzanck smear, direct immunofluorescence with a monoclonal antibody, and virus isolation (Sadick et al). 1987;17:64-9

Vitamin E
Epidermolysis bullosa responds to vitamin E when properly administered (Ayres). 1987;17:848-9 (Letter)
Epidermolysis bullosa responds to vitamin E when properly administered (El-Tonsy and El-Benhawi). 1987;17:849 (Letter reply)

Vitiligo
Audiologic abnormalities in cases of vitiligo (Tosti et al). 1987;17:230-3
Human immunodeficiency virus–associated vitiligo: expression of autoimmunity with immunodeficiency? (Duvic et al) 1987;17:656-62
Natural cell-mediated cytotoxicity in vitiligo (Ghoneum et al). 1987;17:600-5

Vörner type of keratoderma
Hereditary epidermolytic palmoplantar keratoderma (Vörner type) (Kanitakis et al). 1987;17:414-22

W

Whitlow
Treatment of herpetic whitlow in pregnancy with acyclovir (Tschen and Baack). 1987;17:1059-60 (Letter)

X

Xanthogranuloma
Plasmapheresis, a treatment modality for necrobiotic xanthogranuloma (Finelli and Ratz). 1987;17:351-4

Xanthoma
Verruciform xanthoma of the lower extremity—report of a case and review of literature (Chyu et al). 1987;17:695-8 (Letter)

X-ray
The nevoid basal cell carcinoma syndrome: sensitivity to ultraviolet and x-ray irradiation (Frentz et al). 1987;17:637-43